

---

---

# CIRCULATION

*Official Journal of the American Heart Association*

---

---

VOLUME XI  
January-June, 1955



GRUNE & STRATTON, INC.

NEW YORK AND LONDON

---

---

*General*

EDITOR-IN-CHIEF

THOMAS M. McMILLAN  
*Philadelphia, Pa.*

EDITORIAL BOARD

E. COWLES ANDRUS, <i>Baltimore, Md.</i>	HANS H. HECHT, <i>Salt Lake City, Utah</i>
BENJAMIN M. BAKER, <i>Baltimore, Md.</i>	EDGAR A. HINES, JR., <i>Rochester, Minn.</i>
JANET S. BALDWIN, <i>New York, N. Y.</i>	FRANKLIN D. JOHNSTON, <i>Ann Arbor, Mich.</i>
GEORGE E. BURCH, <i>New Orleans, La.</i>	H. M. MARVIN, <i>New Haven, Conn.</i>
HOWARD B. BURCHELL, <i>Rochester, Minn.</i>	DAVID F. OPDYKE, <i>Rahway, N. J.</i>
J. SCOTT BUTTERWORTH, <i>New York, N. Y.</i>	GEORGE A. PERERA, <i>New York, N. Y.</i>
CLARENCE E. DE LA CHAPELLE, <i>New York, N. Y.</i>	DAVID D. RUTSTEIN, <i>Boston, Mass.</i>
A. C. CORCORAN, <i>Cleveland, Ohio</i>	ROY W. SCOTT, <i>Cleveland, Ohio</i>
ANDRÉ COUNNAND, <i>New York, N. Y.</i>	EPHRAIM SHORR, <i>New York, N. Y.</i>
THADDEUS S. DANOWSKI, <i>Pittsburgh, Pa.</i>	HOWARD B. SPRAGUE, <i>Boston, Mass.</i>
CHARLES T. DOTTER, <i>Portland, Ore.</i>	ISAAC STARR, <i>Philadelphia, Pa.</i>
J. RUSSELL ELKINTON, <i>Philadelphia, Pa.</i>	GEORGE E. WAKERLIN, <i>Chicago, Ill.</i>
HARRY GOLDBLATT, <i>Cleveland, Ohio</i>	JAMES V. WARREN, <i>Durham, N. C.</i>
HAROLD D. GREEN, <i>Winston-Salem, N. C.</i>	JAMES WATT, <i>Bethesda, Md.</i>
DWIGHT E. HARKEN, <i>Boston, Mass.</i>	CHARLES C. WOLFERTH, <i>Philadelphia, Pa.</i>

ASSOCIATE EDITORS

EDGAR V. ALLEN  
*Rochester, Minn.*

SAMUEL BELLET  
*Philadelphia, Pa.*

HERRMAN L. BLUMGART  
*Boston, Mass.*

PUBLICATIONS COMMITTEE OF THE SCIENTIFIC COUNCIL  
AMERICAN HEART ASSOCIATION

IRVING S. WRIGHT, *Chairman*  
*New York, N. Y.*

H. M. MARVIN, *Vice Chairman*  
*New Haven, Conn.*

J. SCOTT BUTTERWORTH  
*New York, N. Y.*

CHARLES A. R. CONNOR  
*New York, N. Y.*

IRVING B. HEXTER  
*Cleveland, Ohio*

CHARLES D. MARPLE  
*New York, N. Y.*

BENEDICT F. MASSELL  
*Boston, Mass.*

THOMAS M. McMILLAN  
*Philadelphia, Pa.*

CARL J. WIGGERS  
*Cleveland, Ohio*

QP

101

F50

viii

Jan-June  
1955

22

VOLUME XI

January-June, 1955

CIRCULATION

Official Journal of the American Heart Association

No. 1

METABOLIC AND HEMODYNAMIC CHANGES INDUCED BY THE PROLONGED ADMINISTRATION OF DEXTRAN.....	John R. Jaenike and Christine Waterhouse	1
DOES MITRAL STENOSIS RECUR AFTER COMMISSUROTOMY?	Robert P. Glover, Julio C. Davila, Thomas J. E. O'Neill, and O. Henry Janton	14
CARDIAC RESUSCITATION FOLLOWING EXPERIMENTAL ARREST BY PROCAINE AND ETHER	Martin L. Ryan, Richard A. Salvador, and Chester W. White, Jr.	29
A STUDY OF THE ULTRAVIOLET MICROSCOPY OF RENAL VASCULAR DISEASES	Sheldon C. Sommers, Ruth Crozier, and Shields Warren	38
EFFECTS OF ACUTE REMOVAL OF POTASSIUM FROM DOGS	John M. Weller, Bernard Lown, Rolf V. Hoigne, Norman F. Wyatt, Modestino Criscitiello, John P. Merrill, and Samuel A. Levine	44
THE CHANGING ELECTROCARDIOGRAM IN WILSON BLOCK	Cornelio Papp and K. Shirley Smith	53
STUDIES ON THE MECHANISM OF VENTRICULAR ACTIVITY. XIV. CLINICAL AND EXPERIMENTAL STUDIES OF ACCELERATED AURICULOVENTRICULAR CONDUCTION	Jean Louis Borduas, Louis Rakita, Rexford Kennamer, and Myron Prinzmetal	69
LEFT VENTRICULAR HYPERTROPHY: A STUDY OF THE ACCURACY OF CURRENT ELECTROCARDIOGRAPHIC CRITERIA WHEN COMPARED WITH AUTOPSY FINDINGS-ON ONE HUNDRED CASES	Ralph C. Scott, Vincent J. Seiwert, David L. Simon, and Johnson McGuire	89
AN ANALYSIS OF ACTIVATION IN HUMAN ATRIA	J. A. Abildskov, J. A. Cronvich, and G. E. Burch	97
THE EFFECTS OF HEXAMETHONIUM UPON CEREBRAL BLOOD FLOW AND METABOLISM IN PATIENTS WITH PREMALIGNANT AND MALIGNANT HYPERTENSION	Charles W. Crumpton, George G. Rowe, Robert C. Capps, Janet J. Whitmore, and Quill R. Murphy	106
PATTERNS OF SURFACE TEMPERATURE RESPONSE TO VARIOUS AGENTS	Lothar Wertheimer, Walter Redisch, Kurt Hirschhorn, and J. Murray Steele	110
CLINICAL CONFERENCE. UNRECOGNIZED HYPONATREMIA AND HYPOCHLOREMIA	George C. Griffith and Oscar Magidson. With comments by: Eugene A. Stead, Jr. and Louis Leiter	115
CLINICAL PROGRESS. ARTERIAL MALFORMATIONS WHICH CAUSE COMPRESSION OF THE TRACHEA OR ESOPHAGUS.....	Robert E. Gross	124
ABSTRACTS.....		135
AMERICAN HEART ASSOCIATION.....		157

No. 2

THE CIRCULATORY EFFECTS OF RESERPINE	E. G. McQueen, A. E. Doyle, and F. H. Smirk	161
--------------------------------------	---	-----

TREATMENT OF HYPERTENSION WITH RESERPINE, WITH RESERPINE IN COMBINATION WITH PENTAPYRROLIDINIUM, AND WITH RESERPINE IN COMBINATION WITH VERATRUM ALKALOIDS. . . . .	A. E. Doyle, E. G. McQueen, and F. H. Smirk	170
COMBINED RAUWOLFIA-HYDRALAZINE THERAPY OF HYPERTENSIVE PATIENTS	Charles F. Naegele, Ray H. Rosenman, Charles L. Hoffman, and Meyer Friedman	182
CARDIOVASCULAR ACTIONS OF SODIUM NITROPRUSSIDE IN ANIMALS AND HYPERTENSIVE PATIENTS. . . . .	Irvine H. Page, A. C. Corcoran, H. P. Dustan, and Theodore Koppanyi	188
EXPERIMENTAL BACTERIAL ENDOCARDITIS DUE TO STREPTOCOCCUS MITIS. I. METHOD OF INDUCTION	Robert A. Rabens, Joseph E. Geraci, John H. Grindlay, and Alfred G. Karlson	199
EXPERIMENTAL BACTERIAL ENDOCARDITIS DUE TO STREPTOCOCCUS MITIS. II. PATHOLOGY OF VALVULAR AND SECONDARY LESIONS	Robert A. Rabens, Alfred G. Karlson, Joseph E. Geraci, and Jesse E. Edwards	206
RIGHT VENTRICULAR HYPERTROPHY I. CORRELATION OF ISOLATED RIGHT VENTRICULAR HYPERTROPHY AT AUTOPSY WITH THE ELECTROCARDIOGRAPHIC FINDINGS	Isom C. Walker, Jr., Robert A. Helm, and Ralph C. Scott	215
RIGHT VENTRICULAR HYPERTROPHY II. CORRELATION OF ELECTROCARDIOGRAPHIC RIGHT VENTRICULAR HYPERTROPHY WITH THE ANATOMIC FINDINGS	Isom C. Walker, Jr., Ralph C. Scott, and Robert A. Helm	223
SOME OBSERVATION ON THE RELATION OF THE HIGH-FREQUENCY BED BALLISTOCARDIOGRAM TO THAT OBTAINED FROM AN APERIODIC BED	Dennis C. Deuchar, Samuel A. Talbot, and W. R. Scarborough	228
THE EFFECT OF VENTRICULAR SYSTOLE ON AURICULAR RHYTHM IN AURICULOVENTRICULAR BLOCK. . . . .	Mauricio B. Rosenbaum and Eugene Lepeschin	240
REFLEX VENOMOTOR ACTIVITY IN NORMAL PERSONS AND IN PATIENTS WITH POSTURAL HYPOTENSION	E. B. Page, J. B. Hickam, H. O. Sieker, H. D. McIntosh, and W. W. Pryor	262
THE EFFECTS OF INTRAVENOUS HEXAMETHONIUM ON VENOUS PRESSURE OF NORMOTENSIVE AND HYPERTENSIVE PATIENTS WITH AND WITHOUT CONGESTIVE HEART FAILURE. . . . .	Robert R. Burch	271
FLOW THROUGH COLLAPSIBLE TUBES: AUGMENTED FLOW PRODUCED BY RESISTANCE AT THE OUTLET. . . . .	Simon Rodbard	280
CLINICAL PROGRESS. EFFECTS OF VITAMIN DEFICIENCY ON THE HEART AND CIRCULATION. . . . .	M. A. Blankenhorn	288
ABSTRACTS. . . . .		292
AMERICAN HEART ASSOCIATION. . . . .		317
(Including a Statement by the Committee on Prevention of Rheumatic Fever and Bacterial Endocarditis)		

## No. 3

THE CARDIOVASCULAR ASPECTS OF MARFAN'S SYNDROME: HERITABLE DISORDER OF CONNECTIVE TISSUE. . . . .	Victor A. McKusick	321
THE TREATMENT OF ACUTE RHEUMATIC FEVER IN CHILDREN. A COOPERATIVE CLINICAL TRIAL OF ACTH, CORTISONE AND ASPIRIN	(United Kingdom and United States Joint Report)	343
THE OPENING SNAP OF THE TRICUSPID VALVE: A PHYSICAL SIGN OF TRICUSPID STENOSIS. . . . .	Charles E. Kossmann	378
A CRITICAL EVALUATION OF THE ROENTGEN CRITERIA OF RIGHT VENTRICULAR ENLARGEMENT. . . . .	Marcy L. Sussman and George Jacobson	391
THE DEMONSTRATION OF LEFT ATRIAL ENLARGEMENT BY BODY SECTION RADIOGRAPHY	Bernard H. Pastor, George T. Wohl, and L. Theodore Lawrence	400

HEMODYNAMICS IN PATENT DUCTUS ARTERIOSUS WITHOUT A MURMUR <i>John T. Shepherd, William H. Weidman, Edmund C. Burke, and Earl H. Wood</i>	404
THE RELIEF OF RESISTANT EDEMA BY UTILIZATION OF A SUMP PHENOMENON <i>Ferdinand R. Schemm and Augusto A. Cámara</i>	411
MECHANISMS OF INTERMITTENT VENTRICULAR BIGEMINY. I. APPEARANCE OF ECTOPIC BEATS DEPENDENT UPON LENGTH OF THE VENTRICULAR CYCLE, THE "RULE OF BIGEMINY." . . . . . <i>Richard Langendorf, Alfred Pick, and Max Winternitz</i>	422
MECHANISMS OF INTERMITTENT VENTRICULAR BIGEMINY. II. PARASYSTOLE, AND PARASYSTOLE OR RE-ENTRY WITH CONDUCTION DISTURBANCE <i>Richard Langendorf and Alfred Pick</i>	431
THE EFFECT OF INTRAVENOUS PROTOVERATRINE ON DIGITAL PULSE VOLUME AND DIGITAL SKIN TEMPERATURE IN HYPERTENSIVE PATIENTS <i>J. H. Currens, J. F. McGinty, R. B. Khambatta, and Ida Gordon</i>	440
CARDIAC OUTPUT AND CENTRAL VOLUME AS DETERMINED BY DYE-DILUTION CURVES. RESTING VALUES IN NORMAL SUBJECTS AND PATIENTS WITH CARDIOVASCULAR DISEASE. . <i>Albert A. Kattus, Arthur U. Rivin, Aaron Cohen, and Gilbert S. Sofio</i>	447
PRIMARY HEMANGIOENDOTHELIOSARCOMA OF HEART, DIAGNOSED BY ANGIOCARDIOGRAPHY. REVIEW OF THE LITERATURE AND REPORT OF A CASE. <i>Tsung O. Cheng and Don C. Sutton</i>	456
CLINICAL PROGRESS. DIAGNOSTIC ROENTGENOLOGY IN CONGENITAL HEART DISEASE <i>Martin H. Wittenborg and Edward B. D. Neuhauser</i>	462
CLINICAL CONFERENCE. PRIMARY ARTERITIS OF THE AORTIC ARCH <i>Nelson W. Barker and Jesse E. Edwards</i>	486
ABSTRACTS. . . . .	493
AMERICAN HEART ASSOCIATION. . . . .	509

## No. 4

CERTAIN CLINICAL STATES AND PATHOLOGICAL CHANGES ASSOCIATED WITH DEEPLY INVERTED T WAVES IN THE PRECORDIAL ELECTROCARDIOGRAM <i>Raymond D. Pruitt, Clayton H. Blakeg, and Lemuel E. Chapin</i>	517
MECHANICAL AND MYOCARDIAL FACTORS IN RHEUMATIC HEART DISEASE WITH MITRAL STENOSIS. . <i>Réjane M. Harvey, M. Irené Ferrer, Philip Samet, Richard A. Bader, Mortimer E. Bader, André Cournand and Dickinson W. Richarç</i>	531
THE DIAGNOSIS OF TRICUSPID INSUFFICIENCY. CLINICAL FEATURES IN 60 CASES WITH ASSOCIATED MITRAL VALVE DISEASE. . <i>Gonzalo Sepulveda and Daniel S. Lukas</i>	552
THE SURGICAL RELIEF OF AORTIC STENOSIS BY MEANS OF APICAL-AORTIC VALVULAR ANASTOMOSIS. . . . . <i>Stanley J. Sarnoff, Thomas J. Donovan and Robert B. Case</i>	564
DIPAXIN-2-DYPHENYLACETYL-1,3-INDANDIONE; CLINICAL EVALUATION OF A NEW ANTICOAGULANT <i>John B. Field, Martin S. Goldfarb, Arnold G. Ware and George C. Griffith</i>	576
OBSERVATIONS ON THE HYPONATREMIA FOLLOWING MITRAL VALVULOTOMY <i>Allan V. N. Goodyer and William W. L. Glenn</i>	584
NOREPINEPHRINE AND EPINEPHRINE CONTENT OF NORMAL AND DISEASED HUMAN HEARTS. . . . . <i>Wilhelm Raab and Wilda Gigeç</i>	593
THE USE OF HEXAMETHONIUM IN TREATMENT OF ARTERIOSCLEROSIS OBLITERANS <i>John H. Windesheim, Grace M. Roth and Ray W. Gifford, Jr.</i>	604
DIFFERENTIAL ANALYSIS OF OPACIFICATION IN ANGIOCARDIOGRAPHY <i>J. Lind, R. Spencer and C. Wegelius</i>	609
ELECTROLYTE STUDIES IN HEART FAILURE I. CELLULAR FACTORS IN THE PATHOGENESIS OF THE EDEMA OF CONGESTIVE HEART FAILURE <i>Lloyd T. Iseri, Albert J. Boyle, Douglas E. Chandler, and Gordon B. Myers</i>	615

ELECTROLYTE STUDIES IN HEART FAILURE II. EXTRACELLULAR FACTORS IN THE PATHOGENESIS OF CONGESTIVE EDEMA <i>Lloyd T. Iseri, Ivan J. Mader and Albert J. Boyle</i>	620
EFFECTS OF HEMORRHAGIC SHOCK ON THE HEART AND CIRCULATION OF INTACT DOGS <i>Donald B. Hackel and Walter T. Goodale</i>	628
NOMOGRAM FOR SIMPLE CALCULATION OF CARDIAC OUTPUT. <i>Charles Eugene Jackson</i>	635
CLINICAL PROGRESS. THE CLINICAL RESULTS IN THE FIRST FIVE HUNDRED PATIENTS WITH MITRAL STENOSIS UNDERGOING VALVULOPLASTY <i>Laurence B. Ellis and Dwight E. Harken</i>	637
ABSTRACTS.....	647
BOOKS RECEIVED.....	669
BOOK REVIEWS.....	671
AMERICAN HEART ASSOCIATION.....	674

## No. 5

THE CHARLES LAUBRY LECTURE: LEADERSHIP IN CARDIOLOGY... <i>Sir John Parkinson</i>	677
TREATMENT OF CARDIAC ARREST AND SLOW VENTRICULAR RATES IN COMPLETE A-V HEART BLOCK..... <i>Samuel Bellet, Fred Wasserman and Jerome I. Brody</i>	685
CORTICOTROPIN (ACTH) IN HEART DISEASE: ITS PARADOXICAL EFFECT ON SODIUM EXCRETION IN RESISTANT CONGESTIVE FAILURE <i>Augusto A. Cámara and Ferdinand R. Schemm</i>	702
SERUM TRANSAMINASE LEVELS IN EXPERIMENTAL MYOCARDIAL INFARCTION <i>Clarence M. Agress, Howard I. Jacobs, Harvey G. Glassner, Marianne E. Lederer, William G. Clark, Felix Wróblewski, Arthur Karmen and John LaDue</i>	711
THE ROLE OF AUSCULTATION IN THE DIFFERENTIATION OF FALLOT'S TETRALOGY FROM SEVERE PULMONARY STENOSIS WITH INTACT VENTRICULAR SEPTUM AND RIGHT TO LEFT INTERATRIAL SHUNT..... <i>Louis Vogelpoel and Velva Shrire</i>	714
A NEW ORALLY ACTIVE QUATERNARY AMMONIUM, GANGLION BLOCKING DRUG CAPABLE OF REDUCING BLOOD PRESSURE, SU-3088 <i>Keith S. Grimson, Antone K. Tarazi and Joe W. Frazer, Jr.</i>	733
THE EFFECT OF CORTISONE ON EXPERIMENTALLY PRODUCED MYOCARDIAL INFARCTS <i>Norman G. Hepper, Raymond D. Pruitt, David E. Donald and Jesse Edwards</i>	742
THE FUNCTIONAL CIRCULATORY CONSEQUENCES OF MYOCARDIAL INFARCTION. A BIOSTATISTICAL ANALYSIS FOLLOWING WIGGERS' SCHEMA <i>Con O. T. Ball, F. Tremaine Billings, Jr., Robert H. Furman, George B. Brothers, John Thomas and George R. Meneely</i>	749
COMPLICATIONS FOLLOWING INFUNDIBULAR RESECTION IN FALLOT'S TETRALOGY <i>Malcolm C. McCord and S. Gilbert Blount, Jr.</i>	754
THE ELECTROCARDIOGRAPHIC PATTERN OF RIGHT VENTRICULAR HYPERTROPHY IN MITRAL VALVE DISEASE <i>Ralph C. Scott, Samuel Kaplan, Noble O. Fowler, Jr. and William J. Stiles</i>	761
A TWO-DIMENSIONAL BALLISTOCARDIOGRAPHIC STUDY OF 59 APPARENTLY NORMAL PERSONS. AN ANALYSIS OF THE IJ SEGMENT AS IT RELATES TO BODY SURFACE AREA AND THE ANATOMIC POSITION OF THE HEART <i>Gwendolyn L. Morris and John R. Braunstein</i>	767
THE DYNAMICS OF VENTRICULAR CONTRACTION AND RELAXATION IN PATIENTS WITH MITRAL STENOSIS AS STUDIED BY THE KINETOCARDIOGRAM AND BALLISTOCARDIOGRAM..... <i>E. E. Eddleman, Jr., Robert H. Yoe, William Tucker, John L. Knowles and Kathryn Willis</i>	774
EFFECT OF ESTROGENIC HORMONE ON SERUM LIPIDS IN PATIENTS WITH CORONARY ARTERIOSCLEROSIS..... <i>Alfred Steiner, Henry Payson, and Forest E. Kendall</i>	784



## DYE DILUTION CURVES AND CARDIAC OUTPUT IN NEWBORN INFANTS

*Klara T. Prec and Donald E. Cassels* 789CLINICAL CONFERENCE. ATHEROSCLEROSIS AND THROMBOSIS OF THE DISTAL PART  
OF THE ABDOMINAL AORTA. CLINICAL AND SURGICAL CONSIDERATIONS*John W. Kirklin, Edgar V. Allen, Howard M. Odel, and Richard M. Shick* 799CLINICAL PROGRESS. INTERMITTENT CLAUDICATION.....*Stanford Wessler* 806

## ABSTRACTS..... 819

## AMERICAN HEART ASSOCIATION..... 833

## No. 6

## ELECTRIC ALTERNANS IN PERICARDIAL EFFUSION

*Maurice McGregor and Eugene Baskind* 837CHRONIC EFFUSIVE PERICARDITIS.....*S. Contro, G. DeGiuli, and F. Ragazzini* 844ON CARDIOVASCULAR SOUND. FURTHER OBSERVATIONS BY MEANS OF SPECTRAL  
PHONOCARDIOGRAPHY*Victor A. McKusick, George N. Webb, J. O'Neal Humphries, and James A. Reid* 849THE SIGNIFICANCE OF THE SERUM GLUTAMIC OXALACETIC TRANSAMINASE ACTIVITY  
FOLLOWING ACUTE MYOCARDIAL INFARCTION*John S. LaDue and Felix Wróblewski* 871DIRECT ARTERIAL STUDY OF THE BLOOD PRESSURE RESPONSE TO COLD OR NORMO-  
TENSIVE SUBJECTS AND PATIENTS WITH ESSENTIAL HYPERTENSION BEFORE AND  
DURING TREATMENT WITH VARIOUS ANTIHYPERTENSIVE DRUGS*John H. Windesheim, Grace M. Roth and Edgar A. Hines* 878BLOOD PRESSURE RESPONSES TO THE VALSALVA MANEUVER IN CARDIAC PATIENTS  
WITH AND WITHOUT CONGESTIVE FAILURE*Walter E. Judson, J. D. Hatcher and Robert Wilkins* 889STUDIES OF CIRCULATION TIME DURING THE VALSALVA TEST IN NORMAL SUBJECTS  
AND IN PATIENTS WITH CONGESTIVE HEART FAILURE*Paul Stucki, J. D. Hatcher, Walter E. Judson and Robert W. Wilkins* 900ARTERIOSCLEROTIC OCCLUSION OF CEREBRAL ARTERIES: MECHANISM AND THERAPEUTIC  
CONSIDERATIONS.....*Walter L. Bruetsch* 909NORMAL STANDARDS FOR AMPLITUDE OF BALLISTOCARDIOGRAMS CALIBRATED BY  
FORCE.....*Isaac Starr* 914THE ELECTROCARDIOGRAPHIC PATTERN OF RIGHT VENTRICULAR HYPERTROPHY IN  
CHRONIC COR PULMONALE. *Ralph C. Scott, Samuel Kaplan, Noble O. Fowler,**Robert A. Helm, Richard N. Westcott, Isom C. Walker and William J. Stiles* 927MEASUREMENT AND SIGNIFICANCE OF CANCELLATION POTENTIALS ON THE HUMAN  
SUBJECT.....*Ernest Frank* 937THE EFFECTS OF REPETITIVE ELECTRIC CARDIAC STIMULATION IN DOGS WITH  
NORMAL HEARTS, COMPLETE HEART BLOCK AND EXPERIMENTAL CARDIAC  
ARREST.....*T. E. Starzl, R. A. Gaertner and Roscoe C. Webb, Jr.* 952

## CLINICAL PROGRESS. PRIMARY TUMORS OF THE HEART

*Henry P. Goldberg and Israel Steinberg* 963

## ABSTRACTS..... 971

## BOOK REVIEWS..... 993

## AMERICAN HEART ASSOCIATION..... 995

# INDEX OF AUTHORS

- Abildskov, J. A., 97  
Agress, C. M., 711  
Allen, E. V., 799  
Bader, M. E., 531  
Bader, R. A., 531  
Ball, C. O. T., 749  
Barker, N. W., 486  
Baskind, E., 837  
Bellet, S., 685  
Billings, F. T., Jr., 749  
Blankenhorn, M. A., 288  
Blount, S. G., Jr., 754  
Borduas, J. L., 69  
Boyle, A. J., 615, 620  
Braunstein, J. R., 767  
Brody, J. I., 685  
Brothers, G. B., 749  
Bruetsch, W. L., 909  
Burch, G. E., 97  
Burch, R. R., 271  
Burke, E. C., 404  
Cámara, A. A., 411, 702  
Capps, R. C., 106  
Case, R. B., 564  
Cassels, D. E., 789  
Chandler, D. E., 615  
Chapin, L. E., 517  
Cheng, T. O., 456  
Clark, W. G., 711  
Cohen, A., 447  
Contro, S., 844  
Corcoran, A. C., 188  
Courmand, A., 531  
Criscitello, M., 44  
Cronvich, J. A., 97  
Crozier, R., 38  
Crumpton, C. W., 106  
Currens, J. H., 440  
Davila, J. C., 14  
DeGuili, G., 844  
Deuchar, D. C., 228  
Donald, D. E., 742  
Donovan, T. J., 564  
Doyle, A. E., 161, 170  
Dustan, H. P., 188  
Eddleman, E. E., Jr., 774  
Edwards, J. E., 206, 486, 742  
Ellis, L. B., 637  
Ferrer, M. I., 531  
Field, J. B., 576  
Fowler, N. O., Jr., 761, 927  
Frank, E., 937  
Frazer, J. W., Jr., 733  
Friedman, M., 182  
Furman, R. H., 749  
Gaertner, R. A., 952  
Geraci, J. E., 199, 206  
Gifford, R. W., Jr., 604  
Gigee, W., 593  
Glassner, H. G., 711  
Glenn, W. W. L., 584  
Glover, R. P., 14  
Goldberg, H. P., 963  
Goldfarb, M. S., 576  
Goodale, W. T., 628  
Goodyer, A. V. N., 584  
Gordon, I., 440  
Griffith, G. C., 115, 576  
Grimson, K. S., 733  
Grindlay, J. H., 199  
Gross, R. E., 124  
Hackel, D. B., 628  
Harken, D. W., 637  
Harvey, R. M., 531  
Hatcher, J. D., 889, 900  
Helm, R. A., 215, 223, 927  
Hepper, N. G., 742  
Hickam, J. B., 262  
Hines, E. A., 878  
Hirschhorn, K., 110  
Hoffman, C. L., 182  
Hoigne, R. V., 44  
Humphries, J. O., 849  
Iseri, L. T., 615, 620  
Jackson, C. E., 635  
Jacobs, H. I., 711  
Jacobson, G., 391  
Jaenike, J. R., 1  
Janton, O. H., 14  
Judson, W. E., 889, 900  
Kaplan, S., 761, 927  
Karlson, A. G., 199, 206  
Karmen, A., 711  
Kattus, A. A., 447  
Kendall, F. E., 784  
Kennamer, R., 69  
Khambatta, R. B., 440  
Kirklin, J. W., 799  
Klakeg, C. H., 517  
Knowles, J. L., 774  
Koppanyi, T., 188  
Kossmann, C. E., 378  
LaDue, J., 711, 871  
Langendorf, R., 422, 431  
Lawrence, L. T., 400  
Lederer, M. E., 711  
Leiter, L., 115  
Lepeschkin, E., 240  
Levine, S. A., 44  
Lind, J., 609  
Lown, B., 44  
Lukas, D. S., 552  
McCord, M. C., 754  
McGinty, J. F., 440  
McGregor, M., 837  
McGuire, J., 89  
McIntosh, H. D., 262  
McKusick, V. A., 321, 849  
McQueen, E. G., 161, 170  
Mader, I. J., 620  
Magidson, O., 115  
Meneely, G. R., 749  
Merrill, J. P., 44  
Morris, G. L., 767  
Murphy, Q. R., 106  
Myers, G. B., 615  
Naegele, C. F., 182  
Neuhauser, E. B. D., 462  
Odel, H. M., 799  
O'Neill, T. J. E., 14  
Page, E. B., 262  
Page, I. H., 188  
Papp, C., 53  
Parkinson, Sir J., 677  
Pastor, B. H., 400  
Payson, H., 784  
Pick, A., 422, 431  
Pree, K. T., 789  
Prinzmetal, M., 69  
Pruitt, R. D., 517, 742  
Pryor, W. W., 262  
Raab, W., 593  
Rabens, R. A., 199, 206  
Ragazzini, F., 844  
Rakita, L., 69  
Redisch, W., 110  
Reid, J. A., 849  
Richards, D. W., 531  
Rivin, A. U., 447  
Rodbard, S., 280  
Rosenbaum, M. B., 240  
Rosenman, R. H., 182  
Roth, G. M., 604, 878  
Rowe, G. G., 106  
Ryan, M. L., 29  
Salvador, R. A., 29  
Samet, P., 531  
Sarnoff, S. J., 564  
Scarborough, W. R., 228  
Schemm, F. R., 411, 702  
Scott, R. C., 89, 215, 223, 761, 927  
Seiwert, V. J., 89  
Sepulveda, G., 552  
Shepherd, J. T., 404  
Shick, R. M., 799  
Shrire, V., 714  
Sieker, H. O., 262  
Simon, D. L., 89  
Smirk, F. H., 161, 170  
Smith, K. S., 53  
Sofio, G. S., 447  
Sommers, S. C., 38  
Spencer, R., 609  
Starr, L., 914  
Starzl, T. E., 952  
Stead, E. A., Jr., 115  
Steele, J. M., 110  
Steinberg, I., 963  
Steiner, A., 784  
Stiles, W. J., 761, 927  
Stucki, P., 900  
Sussman, M. L., 391  
Sutton, D. C., 456  
Talbot, S. A., 228  
Tarazi, A. K., 733  
Thomas, J., 749  
Tucker, W., 774  
Vogelpoel, L., 714  
Walker, I. C., Jr., 215, 223, 927  
Ware, A. G., 576  
Warren, S., 38  
Wasserman, F., 685  
Waterhouse, C., 1  
Webb, G. N., 849  
Webb, R. C., Jr., 952  
Wegelius, C., 609  
Weidman, W. H., 404  
Weller, J. M., 44  
Wertheimer, L., 110  
Wessler, S., 806  
Westcott, R. N., 927  
White, C. W., Jr., 29  
Whitmore, J. J., 106  
Wilkins, R., 889, 900  
Willis, K., 774  
Windesheim, J. H., 604, 878  
Winternitz, M., 422  
Wittenborg, M. H., 462  
Wohl, G. T., 400  
Wood, E. H., 404  
Wróblewski, F., 711, 871  
Wyatt, N. F., 44  
Yoe, R. H., 774



## INDEX OF SUBJECTS

(Page numbers in *italics* refer to abstracts)

- Abdominal pain**, in rheumatic fever, 830
- Abiotrophy of connective tissue in Marfan's syndrome**, 321
- Acetyl strophanthidin**, in cardiac resuscitation in dogs, 33
- Acid-base disturbance**, in salicylate intoxication, 146
- Acidosis**, early respiratory, detection during thoracic surgery, 665
- ACTH**, *see* Corticotropin
- Actomysin**, digitalis effects on, 657-658
- Adrenal function**, in nephrosis and diabetic nephropathy, 138
- Adrenalin**, *see* Epinephrine
- Adrenergic impulses**, interference by 7 vasodilators, causing temperature changes in glomus area, 111
- Albumin-globulin ratio**, and serum viscosity, 143
- Albuminuria**, and hypertension, renal, 140
- Alcoholism**, chronic, in nutritional failure and heart disease, 288
- Alkalosis**  
and heart beat, 697  
with hypertension and renal insufficiency, 506  
potassium preventing, 982
- Allergic myocarditis**, cortisone for experimental, 301
- Alpha-tocopherol**, and cardiovascular necrosis and hypertension in rat, 660
- Alternans**, electrical and pericardial effusion, 837-84
- American Council of Rheumatic Fever and Congenital Heart Disease**, American Heart Association,  
members and participating centers, 343
- American Heart Association**,  
abstract deadline for annual meeting, 995  
Alaskan affiliate, 675  
annual meeting of, 159  
annual meeting and Scientific Sessions, 510, 674  
medical program details, 833  
applications for research support for 1956, 995  
awards to investigators, 509, 512-516  
Blakeslee award, 675  
"Cardiac Clinics," audiovisual kit, 834, 995  
Cardiac Convalescent Homes, manual, 510  
Cardiovascular Clinics, Recommended Standards, Manual, 834-835  
cardiovascular research and training program, 511
- "Cardio-Views," 3-dimensional visual kit, 834, 995
- cine-angiocardigrams, 158
- Cleveland resuscitation courses, 675
- Committee on Ballistocardiographic Nomenclature, 238
- Council for High Blood Pressure Research, 158
- Diagnosis of Congenital Heart Defects, manual, 510
- "Forecasting America's Health," forum, 320
- Georgia award for young physicians, 675
- Heart Fund campaign, 157
- heart model for teaching, 674
- new officials, 158
- nomenclature sheets, 157-158
- public health aspects of cardiology, conference on, 511
- "Pump Trouble," cartoon film, 511
- regional meetings, 511
- rheumatic fever convalescent facilities, directory of, 835
- Second World Congress of Cardiology programs, 158
- services performed by, exhibit, 834
- "Speaking from the Heart," report, 674
- statement on prevention of rheumatic fever and bacterial endocarditis, 317-319, 509-510
- young rheumatic patient, film, 510
- American Society for the Study of Arteriosclerosis**, 159, 675, 835
- Amines**, pressor heart response to, in hexamethonium-induced hypotension, 139
- Amino acid metabolism**, of human heart, 661
- Aminophylline**, effect on surface temperature and peripheral blood flow, 111
- Ammonium compound**, quaternary, (SU-3088), 733
- d-Amphetamine**, in obesity hypertension, 145
- Amyloidosis of heart**, isolated, 498
- Amyloidosis of liver**, and heart failure, 974
- Anastomosis**,  
experimental, left atrium inferior vena caval, 665  
in occlusion of aorta distal to renal arteries origin, 804
- Anemia**, in aggravating intermittent claudication, 811
- Anesthesia**  
and blood pressure of dogs, 141  
cardiac output during, 652  
cyclopropane and neostigmine and atropine, electrocardiogram in, 826  
in general hypothermia, 150  
hexamethonium and hypotension, 139-140  
of paraplegics, hypertension during, 605  
topical, reflex circulatory responses after, 508
- Aneurysm**  
basilar artery, 153  
carotid, experimental, 154  
of cerebral arteries, congenital, 666-667  
diffuse, of aorta, 324  
dissecting, of aorta, 328, 501  
resection and homograft for, 988, 989  
surgical considerations, 987  
homologous graft for abdominal aortic, 150  
of infundibular chamber, post infundibular resection in Fallot's tetralogy, 755  
of interventricular septum, with myocardial infarction, 820  
traumatic, classic treatment methods, 988
- Angina pectoris**  
chromatographic prognosis, 668  
electrocardiogram in, 297  
Ethaverine in, 310  
hypnotic suggestion in, 822  
and smoking, 649
- Angiocardiograms**, Cine-, 158
- Angiocardiography**  
analysis of opacification in, 609-614  
with cardiac catheterization, 149  
diagnosis with in heart disease, 481  
for intracerebral arteriovenous malformations, 498  
for occlusive arterial disease, 152  
of pulmonary stenosis, 315  
and tricuspid insufficiency, 555  
in tumors of heart, 456-461, 964-968
- Anomalies**, congenital, 293-295, 819-820, 972-974  
*see also* Congenital heart disease;  
Patent ductus arteriosus;  
Patent foramen ovale
- Anomalous pulmonary venous return**, 481
- Anomalous systemic venous return**, 480
- Anoxemia test**, Q-T interval in, 137
- Antabuse**, dangerous cardiac effects of, 982
- Antibiotics**  
in bacterial endocarditis, 971  
infections during treatment with, 981  
intra-arterial administration of, 310-311  
in recurrent rheumatic fever, 984

- Anticoagulants**  
*see also* Dicumarol; Heparin; Tromexan  
 and arteriosclerosis, 912  
 choice of, 493  
 coumarin, 972  
 and mural thrombosis after myocardial infarction, 292  
 selection of myocardial infarction patients for, 975
- Antidiuretic hormone**,  
 in hypophysectomized rat, 148  
 renal response to in diabetes and chronic renal disease, 143-144
- Antirenin**, 662
- Anti-streptococcal hyaluronidase**, 658
- Anti-Streptolysin O**, 658
- Aorta**  
 abdominal  
   atherosclerosis and thrombosis of the distal part of, 799  
   atherosclerosis and thrombosis of result of treatment, 801  
   aneurysm of, dissecting diagnosis of, 501  
   and aortic arch syndrome, 486  
   coarctation of, 470  
     blood pressure and flow in, 494  
     complicated by pregnancy, 293  
     pathoanatomic changes in, 293-294  
     resection of, in infant, 295  
 lesions of, in Marfan's syndrome, 323  
 media, defective in Marfan's syndrome, 321
- Aortic arch**  
 in compression of trachea or esophagus, 124  
 right,  
   with a left ligamentum arteriosum in compression of trachea or esophagus, 128
- Aortic bifurcation**, resection, and homologous graft for aneurysm, 150
- Aortic regurgitation**, murmurs in, 983
- Aortic stenosis**, *see also* Stenosis  
 ballistocardiogram in, 298  
 surgery for, 665-666  
 survey of diagnosis and treatment, 649
- Aortic tortuosity**, vs. myocardial infarction, ballistocardiogram differentiating, 971
- Aortic valve**, bypassed, 565
- Aortic valve disease**,  
 and spectral phonocardiography, 858-859  
 dynamics of, 293
- Aortitis**, 492  
 syphilitic, 491
- Aortography**, of distal abdominal aorta, 801, 802, 803
- Apresoline**, *see* Hydralazine  
 circulatory-dynamic changes after, 309  
 in hypertension, 505, 827  
 alone vs. combination with Veriloid, 978  
 fever during, 978  
 of pregnancy, 978
- with *Rauwolfia serpentina*, 823  
 lupus erythematosus-like syndrome complicating, 980-981  
 in toxemia of pregnancy, 983
- Aramine**, blood pressure and renal hemodynamic response to, 983
- Arfonad**, hypotension from, 144
- Arrhythmia**  
 atrial, in total heart block, 298  
 emergency treatment of, 655-656  
 procaine amide for, 828  
 review of recent knowledge, 507
- Arterenol**, circulatory effects of, 822-823
- Arterial segments**, time course of stress relaxation in, 662
- Arteriole**, renal, ultraviolet absorption properties, 39
- Arteriosclerosis**  
 American Society for Study of, 159  
 cerebral  
   histogenesis of, 990  
   histologic consideration, 910  
   mechanism and therapy of occlusion, 909-913  
   and torsion movements of arteries, 152  
 electroretinography in, 301  
 obliterans  
   angiography in, 152  
   collateral circulation in, 153  
   and hexamethonium, 604  
   lumbar sympathectomy for, 316  
   simulating neurologic disorder of lower limb, 154  
   surgery for, 150  
 peripheral  
   endarterectomy for, 150  
 psychiatric  
   Metrazol for, 983  
   in swine aorta, 989
- Arteritis**, primary of aortic arch, 486-492
- Artery**  
 aberrant right subclavian, 133  
 anomalous left common carotid in compression of trachea or esophagus, 132  
 anomalous innominate in constriction of trachea and esophagus, 131  
 calcification in intermittent claudication, value of, 808  
 cerebral, occlusion of, 909  
 iliac, resection of, 804  
 obstruction, and intermittent claudication, 807  
 permeability of excised, 155  
   *see also* Graft  
 pressure, *see* Blood pressure  
   in chronic cor pulmonale patients with or without right bundle branch block and ventricular hypertrophy, 932  
 pulmonary,  
   lesions of in Marfan's syndrome, 330  
   and right ventricular hypertrophy, 218, 225  
 renal, ultraviolet absorption properties, 39
- Arteriography**, value of in intermittent claudication, 808
- Arteriovenous malformations**, intracerebral, 498
- Ascites**  
 osmotic pressure of serum in, 147-148  
 with liver cirrhosis, cardiac output in, 655
- Asphyxia**, by clamping endotracheal tube in dogs, 958
- Aspirations**, from pleural and peritoneal spaces, 412-413, 417
- Aspirin**  
 vs. ACTH and cortisone in rheumatic fever, 148-149  
 in treatment of acute rheumatic fever in children, 368
- Asthma**, bronchial, cigarette smoking and ventilatory function in, 312
- Atheromatosis**, presence in other regions when found in aorta, 805
- Atherosclerosis**  
 adrenal cortex and lipid metabolism in, 976  
 in arteries of leg, 804  
 fat tolerance in, 500  
 in humans, 911  
 mast cells in human, 989-990  
 sympathectomy for, 665
- Atresia**, tricuspid, electrocardiogram in, 136
- Atrial appendage**, juxtaposed, 294
- Atrial waves in normal and abnormal rhythm**, 668
- Atrioventricular block**,  
 as affected by sodium lactate, 690-695  
 chronotropic effect of ventricular systole, negative, 249-253  
 complete, effect of ventricular ectopic beats on the P-P interval, in, 244-245  
 effect of atropine and exercise, 245-248  
 tachycardia, paroxysmal auricular, with 2:1 A-V block, 248  
 transient, and P-P interval, 243-244
- Atrium**  
 analysis of activation, 97-105  
 contour, size and orientation derived from coplanar outlines, 97-101  
 and heart tumors, 963  
 left atrial enlargement, 101  
 lesion of, electrocardiogram in, 137  
 pericardial effusions with simultaneous electrical alternans of, 837  
 pressure in mitral disease, 140  
 right, size increase in tricuspid insufficiency, 558
- Atropine**  
 effect on A-V block, 245-249  
 electrocardiogram in, 826
- Auricle**, *see* Atrium
- Auscultation**, 306  
 in aortic regurgitation, 983  
 in diagnosis of congenital heart disease, 714

- findings in patients with Fallot's tetralogy, 718, 719  
with severe pulmonary stenosis, intact ventricular septums and right-to-left interatrial shunt, 716  
phonocardiographic, of congenital heart disease in children, 313  
and tricuspid stenosis, 379
- A-V block** (*see* Atrioventricular block)
- A-V node**  
disturbances  
accelerated conduction, heart block, nodal rhythms and arrhythmias, 84  
experimental, in dogs, by injection, 75-79  
importance of function, 84-85
- Avitaminosis**, myocardial changes in, 819
- Bacteremia**, and hemorrhagic shock, 142
- Bacterial endocarditis**  
antibiotic treatment of, 971  
enterococcal, 819  
prevention through control of streptococcal infections, 317-319  
dental manipulations, 510
- Bainbridge reflex**, 252, 256
- Ballistocardiogram**  
amplitude abnormality, detection of in comparison with healthy young adults, 923  
in aortic stenosis, 298  
and aortic tortuosity vs. myocardial infarction, 971  
new knowledge of genesis of, 915-919  
in Lutembacher syndrome, 299  
normal standards for amplitude, statistics from healthy persons, 917  
in paroxysmal tachycardia, 822  
torsion, in cardiac surgery, 300
- Ballistocardiography**,  
aperiodic abnormal and normal records, 231-237  
"aperiodic mercury bed" platform and Starr's high-frequency bed, 229  
cardiovascular activity, 228-239  
correlation between body surface area and basal longitudinal "IJ" amplitude, 770  
H, I, J, K, M and N waves in normal and abnormal records, 231-238  
"IJ" amplitude, transverse in relation to heart rotation, 771  
normal standards for amplitude of ballistocardiograms, calibrated by force, cardiac abnormality, 914  
importance of transverse ballistocardiogram in abnormal record, 772  
and kinetic cardiographs used with "pure" mitral stenosis, 775  
relationship between magnitude of basal longitudinal IJ segment to anatomic position of heart, 772  
two-dimensional, used in study of 59 apparently normal persons, 767-773
- Banthine**  
deblocked by neostigmine, 740  
in increased vagal tone states, 310
- Basal rates**, and intravenous hexamethonium, 275
- Beri beri**  
heart disease and other deficiency diseases, 288-291  
diagnostic criteria, 289
- Bernoulli**, law of conservation of energy, 280
- Bicillin**, in recurrent rheumatic fever, 984
- Bigeminy**, rule of, 422-439
- Block**, *see* Bundle branch block; Heart block
- Block**  
bundle-branch, right (Wilson type), 53
- Blocking agents**, ganglionic, and cold pressor responses, 885
- Blood CO<sub>2</sub>**, in central cyanosis, 824-825
- Blood coagulation**, 292, 493, 819, 972
- Blood count**, in chronic effusive pericarditis in an asymptomatic child, 844
- Blood flow**  
*see also* Coronary flow; Venous return  
augmented, through collapsible tubes caused by resistance at outlet, 280  
cold effect on, 142  
effect of distal resistance, 282  
finger skin, effects of vascular occlusion and local cooling on, 667  
and oxygen utilization of carotid body of cat, 824  
pulmonary, variations in due to method, 653  
skin temperature relation to, 508  
suprasternal puncture of left atrium for study of, 141
- Blood pressure**  
*see also* Hypertension; Hypotension, Pulse pressure  
acute hypoxia effect on, 654  
affected by reserpine, 164, 171  
in anesthetized dog, 141  
ankle determination, 984  
arterial  
after intramuscular hexamethonium, 106  
response to cold in hypertensives and normotensives, 881  
ballistocardiogram, correlation with, 915  
cardiac catheters for measurement of, 304-305  
changes in venous segments of postural hypotensive patients, 267  
in congenital heart disease, 494  
continuous bloodless registration of, 983  
cortisone effect on, in hypertension, 504  
Council for High — Research, 158  
in dogs with acute complete heart block after repetitive electrical stimulation, 953, 955  
"failure response" to Valsalva maneuver by patients in congestive failure, 890, 896, 903  
hepatic vein, in portal hypertension, 155  
in hypertensives  
administered SU-3088, 737  
after intravenous protoveratrine, 442  
left atrial and pulmonary "capillary" during Valsalva experiment, 652-653  
left ventricular, 984  
lowering with Rauwolfia-hydralazine therapy in hypertension, 185  
in normotensives, administered SU-3088, orally, 735  
postural ischemia and, 304  
in pulmonic stenosis, 651  
reducing drug (SU-3088), 733  
and rheumatoid arthritis, 508  
systemic and pulmonary, during Valsalva experiment, 825  
systolic; in dogs with acute heart block in shock after repetitive ventricular stimulation, 955  
Valsalva maneuver  
responses to in cardiacs, with and without congestive failure, 890-896, 900-904  
normal subjects, 889, 900  
by patients with or without valvular heart disease, 892  
venous  
in sitting posture, 304  
walking test, in peripheral vascular disease, 989
- Blood vessels**, character of flow, 280
- Blood volume**  
in congestive heart failure, 296-297, 652  
in human leg, 507-509
- Book reviews**  
Congenital Anomalies of the Heart and Great Vessels, an Atlas of (Edwards et al.), 993  
Congenital Cardiac Disease, Atlas of (Abbott), 671  
Electrocardiographie Clinique (Lenègre et al.), 672-673  
Hypertensive Diseases—Causes and Control (Schroeder), 993-994  
Myocardial Infarction (Wright et al.), 671-672  
Physiology in Diseases of the Heart and Lungs (Altshule), 994  
Spatial Vectorcardiography (Burch et al.), 673

- Book reviews (Cont'd)**  
*Traité des Cardiopathies Congénitales* (Donzelot et al.), 673
- Bradycardia**, alternating with tachycardia, syndrome of, 654
- Brain**, Studies of cerebral arteriosclerosis of 20 patients, 909
- Breathing**, and cigarette smoking in bronchial asthma and pulmonary emphysema, 312
- Bullet wound to heart**, nonfatal, 308
- Bundle branch block**  
 electrocardiogram in, 503-504  
 right, Wilson variety, 53
- Buerger theory**, of Valsalva maneuver, 906
- Butazolidin**, *see* Phenylbutazone
- Calcification**  
 cardiac, movements of, 831  
 in left atrium, 501  
 myocardial, 308
- Calcium**, levels in nephrectomized dogs after cortisone, 300-301
- Carbon**, radio-cholesterol synthesis from, 142
- Cardiac—**, *see also* Heart—  
 experimental  
   by procaine and ether in dogs, 30  
   use of pacemaking therapy in cardiac standstill, 961  
   neuropsychiatric residuals after resuscitation, 656  
   after procaine amide, intravenous, 311  
   treatment of, 825  
   treatment of multiple, 141
- Cardiac catheterization**, for blood pressure measurement, 304-305
- Cardiac enlargement**  
 after commissurotomy, 985-986  
 post infundibular resection, in Fallot's tetralogy, 756  
 working, 826
- Cardiac infarction**, in right bundle branch block (Wilson-type), 56-64
- Cardiac movements**, and circulatory hemodynamics, 610
- Cardiac muscle**, water and electrolyte distribution in, 662
- Cardiac output**  
 in circulation time, study with Valsalva maneuver, 906  
 during anesthesia, 652  
 constant infusion technic for measuring, 305  
 direct recording of, 829  
 in hypothermic dog, 825  
 in liver cirrhosis with ascites, 655  
 measurement of by comparative methods, 652, 653, 984  
 in newborn infants, 794  
 nomogram for simple calculation, 635
- Cardiac pacemaker and defibrillator**, simple, 986
- Cardiac patients**, Valsalva responses, 894, 900
- Cardiac resuscitation**, 825  
 in dogs, by epinephrine, norepinephrine, phenylephrine, acetyl strophanthidin, 29-37
- Cardiac stimulation**, electrical, repetitive, in dogs, with normal hearts, complete heart block and experimental cardiac arrest, 952-962
- Cardiac stroke force**, and body surface area in ballistocardiography, 916-918
- Cardiac tamponade**, pathophysiology of, 823-824
- Cardiology**, progress in France, 682
- Cardiospectrograms**, 992
- Cardiovascular activity**, shown by ballistocardiogram, 228-239
- Cardiovascular disorders**, and dye dilution curves, 450
- Cardiovascular sound observations**, by spectral phonocardiography, 849-870
- Cardiovascular stimulants**, in resuscitation of arrested dog hearts, 31
- Cardiovascular system**, physiology in newborn infants, 789
- Carotid artery**, primary thrombosis of internal, 990
- Carotid sinus**, Regitine affecting wall of, 310
- Catheter studies**, and Valsalva maneuver, 889, 900
- Catheterization**  
 cardiac  
   with angiocardiography, 149  
   in congenital heart disease, 294  
   in mitral stenosis, 21  
   in patent ductus arteriosus and pulmonary hypertension without a murmur, 405  
   of 28 patients with pulmonary hypertension, secondary to chronic lung disease, 927  
   with rheumatic heart disease and pure mitral stenosis, 533
- Cation exchange resins**  
 for edema of cardiac decompensation 296  
 potassium depletion induced by, 147  
 in pre-eclamptic toxemia of pregnancy, 147
- Central nervous system**, Serpasil effects on, 310
- Central venous pressure**, (C.V.P.) in reflex venomotor activity, 263
- Cerebral arteriosclerosis**, histogenesis of, 990
- Cerebral circulation and metabolism**, and exercise, vigorous, 304
- Cerebral salt wasting**, 667
- Cerebral thrombosis**, and arteriosclerosis, 912
- Cerebral vascular disease**  
 and arteriosclerosis, 152  
 emotional stress before stroke, 155
- Cerebrospinal fluid**, pressure increased in malignant hypertension, 650
- Chagas' heart disease**, electrocardiogram in, 299
- Chair rest treatment**, for myocardial infarction, 499-500
- Chest pain**, during estrogen therapy, in coronary arteriosclerosis, 787
- Chest-wall movements**, (Kineto-cardiograms) precordial, analysis of, 775
- Cholesterol**  
 -phospholipid ratio, in estrogen therapy, 786  
 serum level, in coronary arteriosclerosis, 787  
 Italian vs. U. S. levels, 153  
 soybean sterols, inhibiting absorption of, 312, 828  
 synthesis from  $C^{14}$ , 142
- Chlorpromazine**, hemodynamics and toxicology of, 145
- Chylomicrons**, electrophoretic mobility of in essential hyperlipemia, 667
- Chylopericardium**, primary, 667
- Cigarette smoking**, *see* Tobacco
- Circulation**  
 arterial  
   malformations which cause compression of the trachea or esophagus, 124-134  
   and sympathectomy, 803, 804  
   central volume index, and pulmonary blood volume, 451  
   cerebral, after hexamethonium bromide in hypertension, 106  
   effect of hemorrhagic shock on, in intact dogs, 628  
   effects of vitamin deficiency, 288  
   functional circulatory consequences of myocardial infarction, 749  
   hypotensive effect of *Rauwolfia serpentina* alkaloid, reserpine, 161
- Circulation time**  
 and failure response, 902  
 by fluorodensography with radiopaque substance, 651-652  
 P<sub>32</sub> diodrast and catheter study in normals and congestive heart failure patients, 900  
 during Valsalva maneuver in normal subjects and in patients with congestive heart failure, 900-908
- Cirrhosis of liver**  
 ascites formation and osmotic pressure of serum in, 147-148  
 cardiac output in, 655
- Claudication**  
 arteriospastic, with aortic thrombosis, 805  
 and atheromatosis, 806  
 intermittent,  
   ancillary factors, 811-813  
   case reports with various treatments, 814-817  
   diagnosis, 807  
   evaluating the disability, 813



- foot care, 813, 814  
 mechanism of, 806  
 and surgical sympathetic denervation, 810  
 therapy for, 809  
 value of oscillometry, arterial calcification and arteriography, 808  
 walking program, 813
- Clinical trial**, cooperative of aspirin, corticotropin, ACTH and cortisone in treatment of acute rheumatic fever in children, 343-377
- Clinical Conference**  
 Atherosclerosis and thrombosis of the distal part of the abdominal aorta, 799-805  
 Primary arteritis of the aortic arch, 486-492  
 Unrecognized hyponatremia and hypochloremia, 115-123
- Clinical Progress**  
 Arterial malformations which cause compression of trachea or esophagus, 124-134  
 Clinical results in 500 patients with mitral stenosis undergoing Valvuloplasty, 637-646  
 Diagnostic roentgenology in congenital heart disease, 462-485  
 Effects of vitamin deficiency on the heart and circulation, 288-291  
 Intermittent claudication, 806-818  
 Primary tumors of the heart, 963-970
- Coagulation**, *see* Blood coagulation; also Anticoagulants
- Coarctation**, reverse, 491
- Cold**  
 functional and histologic changes from, 142  
 general hypothermia, anesthetic management of, 150  
 in measurement of reflex venomotor activity, 264  
 and oxygen consumption and cardiac output, 825  
 oxygen tension and limb temperature changes from, 142
- Cold pressor responses**, 878-888
- Cold pressor test**  
 discussion and significance, 884  
 in normotensives and hypertensives, 881
- Collagen diseases**, x-ray findings in, 315
- Commissurotomy**  
 and atrial and ventricular pressures, 830  
 cardiac enlargement after, 985-986  
 clinical appraisal of patients five years after, 19  
 considerations of, 14  
 for mitral stenosis in childhood, 666  
 recurring after, 495  
 with situs inversus, 295  
 phonocardiogram in, 141-142  
 in rheumatic patients, 548
- through right thoracic approach, 986
- Congenital heart disease**  
*see also* Coarctation; Stenosis  
 phonocardiographic study of in children, 313  
 physique and growth of children with, 647
- Congestive heart failure**  
 acetyl-digitoxin for, 657  
 in aggravating intermittent claudication, 811  
 anomalous drainage of pulmonary veins in, 499  
 blood volume in, 296-297, 652  
 cellular factors of edema in, 617  
 Diamox as diuretic in, 659  
 electrolyte disturbance in, 295-296  
 ganglion blocking agents in, 659  
 mercurial diuretics in, 309
- Constipation**, and hexamethonium absorption, 302
- Cooling blood stream**, method for, 991
- Cor pulmonale**, physiological measurements, in patients without right ventricular hypertrophy or right bundle branch block, 928-929
- Cor triloculare biatriatum**, 294
- Coronary arteries**, anatomic variations in, 501-502
- Coronary heart disease**  
 fatal, 500  
 hypnotic suggestion in, 822  
 prognosis in, 297  
 surgical risk in, 987
- Coronary artery occlusion**  
 hemodynamic effects of, 297  
 and infarction in diabetes mellitus, 820
- Coronary flow**  
 in hemorrhagic shock, 140  
 normal human, 305
- Coronary thrombosis**  
 chair treatment of acute, and cardiac work, 297  
 cortisone and ACTH effect on experimental, 301
- Corticotropin (ACTH)**  
 in acute myocardial and congestive failure, 707  
 vs. aspirin and cortisone in rheumatic fever, 148-149, 343  
 for coronary thrombosis, experimental, 301  
 for lupus erythematosus, 300  
 in treatment of acute rheumatic fever in children, 368  
 trichinosis response to, 504-505  
 paradoxical effect on sodium excretion in resistant congestive failure, 702-710  
 in terminal or hopeless cardiac cases, 706
- Cortisone**  
 for allergic myocarditis, experimental, 301  
 vs. aspirin and ACTH in rheumatic fever, 148-149, 343  
 for coronary thrombosis, experimental, 301  
 effect on blood pressure in hypertension, 504
- for lupus erythematosus, 300  
 effect on myocardial infarcts, experimental, in dogs, 742-748  
 in rheumatic carditis, 830  
 in acute rheumatic fever in children, 368  
 phenylbutazone compared with, 145-146  
 and serum calcium, magnesium, and phosphate levels in nephrectomized dogs, 300-301  
 thromboembolic danger in use of, 504  
 vasoconstriction, experimental, after, 138  
 and vascular reactivity, 976
- C-reactive protein**, in myocardial infarction, 500
- Cushing's syndrome**, and Stokes-Adams attacks, 824
- Cuff pressure**, in blood flow through collapsible tubes, 280-285
- Cyanosis**, central blood CO<sub>2</sub> in, 824-825
- Cyanotic heart disease**, congenital, 293
- Desoxycorticosterone**  
 salt-retaining action of sodium and chloride in, 504  
 and sodium-potassium effect on blood pressure, 827
- Dextran**  
 clinical effects of prolonged administration, 3  
 metabolic and hemodynamic effects discussed, 9  
 T-1824 after, 142  
 venous blood cell concentration after, 142
- Diabetes**  
 and edema relief, 411  
 in intermittent claudication, 812
- Diabetes insipidus**  
 with edema, 508  
 renal response to water and anti-diuretic hormone in, 143-144
- Diabetes mellitus**  
 blood vessel changes in, 653-654  
 coronary occlusion and infarction in, 820
- Diabetic nephropathy**, adrenal function and hyperlipemia in, 138
- Dialysis**, in dogs, 45
- Diastolic murmurs**, *see* Murmurs
- Diamox**  
 as diuretic in congestive heart failure, 659, 981  
 electrolyte and acid-base balance changes from, 659
- Diaphragmatic contraction**, left, with cardiac systole, 313
- Dibenamine**, in genesis of renal hemodynamic changes in heart failure, 658
- Dibenzylamine**  
 for digital ischemia, 657  
 effect on surface temperature and peripheral blood flow, 111

- Dicumarol**, and thromboembolism, 309
- Diet**, restriction of salt, 120-123
- Diethylaminoethanol**, effect on surface temperature and peripheral blood flow, 111
- Digital pulse volume**, and skin temperature, after intravenous protoveratrine in hypertensives, 440-446
- Digitalis**, effects on actomysin, 657-658
- Digitoxin**  
acetyl-, for congestive heart failure, 657  
fate of, man vs. animal, 146  
and phosphorus metabolism, 656
- Digoxin**, cardiac rhythm and plasma potassium after, and epinephrine sensitivity, 312
- Dihydroergotamine**, in genesis of renal hemodynamic changes in heart failure, 658
- Dilution curves**, diagnostic applications of in heart disease, 295
- Diodrast studies**, used in Valsalva maneuver, 900-901
- Dipaxin**, evaluation of, 576-583
- Diphtheria**  
Q-T interval in, 298  
antitoxin in rheumatic fever, 662
- Dirnate** as diuretic, 827
- Diuresis**  
mercurial, 115, 120  
altered response to, after ACTH treatment, 704  
failure in treatment, 702  
in congestive heart failure, 309  
spontaneous, during and after discontinuation of ACTH, 704
- Diuretic measures**, in resistant edema, 411
- Drugs**, antihypertensive, used in direct arterial study of blood pressure response to cold in normotensives and hypertensives, 878-888
- Ductus arteriosus**, patent in new born infants, 794
- Dumping syndrome**, electrocardiogram in, 135
- Dye dilution curves**  
and cardiac output in new born infants, 789-798  
in determining cardiac output and central volume, 447-455  
in infants older than 15 hours, 791  
in infants younger than 15 hours, 792  
left to right shunt, 792  
in new born infants, diphasic, 793  
in patent ductus arteriosus and pulmonary hypertension without a murmur, 405, 407
- Dyspnea**, improvement due to intravenous hexamethonium, 275
- Dysrhythmias**, and conduction defects in Marfan's syndrome, 334
- Ebstein's deformity**, or disease, 479-480  
surgery for, 496
- Ectopic beats**  
with fixed coupling, in irregular dominant rhythms, 422-430  
with varied coupling, in regular dominant rhythms, 431-439
- Edema**  
cation exchange resins for, 296  
of congestive heart failure, pathogenesis of,  
cellular factors, 615-619  
extracellular factors, 620-627  
decrease in congestive heart failure, 115-123  
with diabetes insipidus, 508  
peripheral with hydrothorax and/or ascites, 417  
pulmonary and massive intravenous infusions, 304  
resistant,  
relief of by a sump phenomenon, 411-421  
response to ACTH in resistant congestive failure, 703
- Eisenmenger configuration**, 476-477
- Electrocardiogram**  
*see also* Vectorcardiogram  
in aged, 975-976  
in angina pectoris, 297  
in atrial wall lesion, experimental, 137  
in bundle branch block, 503-504  
in Chagas' heart disease, 299  
changes in Wilson block, 53-68  
changes during dialysis, 45-49  
coronary QR wave origin, 502  
coronary T waves from fatty myocardial degeneration, 650  
in acute depletion of potassium in dogs, 45-49  
in dumping syndrome, 135  
of foetal heart, 502  
genesis and interpretation of, 821-822  
heart position and rotation effect on cardiac vector, 137  
in hemorrhagic fever, 136  
and hypnotic suggestion in coronary sclerosis, 822  
in Italian populations vs. U. S., 153  
and lanatoside C, 143  
lithium effect on related to potassium levels, 300  
in myocardial infarction, 650  
in myocardial infarction serial pattern changes, 976  
in neostigmine and atropine administration during cyclopropane anesthesia, 826
- P wave, 821  
abnormal  
in right ventricular hypertrophy, 217, 225  
in left and right atrial enlargement from planar projections, 97-100  
prior to death of subject, 101  
in potassium extraction, 46  
P and T waves in cancellation obtained for QRS complex, 940  
in periodic paralysis, 136  
in potassium depletion, 135-136  
P-P intervals in auriculoventricular block containing QRS complex, 240-260  
P-R interval, in A-V-nodal dysfunction, 69-72, 79  
pre- and postoperative in mitral stenosis, 21-26  
and procaine amide, 828  
PsE loop, derived from atrial outline, 100  
QRS axis, unchanged in intra-ventricular block, 135  
QRS complex,  
in A-V nodal dysfunction, 72-75  
cancellation coefficient describing nondipolar content of body-surface potentials, 943  
in cancellation potentials on the human subject, 937  
dipole behavior and "proximity" potential, 944  
in normal subjects vs. mitral stenosis patients, 779  
and P-P intervals in A-V block, 240-243  
sodium lactate narrowing, 698
- Q-T interval  
in diphtheria, 298  
in anoxemia test, 137
- Q and T waves, in Wilson-type right bundle branch block, 56-64  
in right ventricular hypertrophy, 503
- R to S ratio in chronic cor pulmonale patients, 932
- RS-T elevation, in Wilson-type right bundle branch block, 56-64
- RS-T segment  
after exercise, 135  
in left ventricular hypertrophy, 90
- S-T segment, in potassium extraction, 46  
in subendocardial infarction, 298
- T-wave  
abnormality in left ventricular hypertrophy, 90  
deeply inverted in precordial ECG, 517  
inverted and severe coronary insufficiency, 525  
massive inversion of, 822  
in potassium extraction, 46  
related to cardiac rate, 299
- Ta wave in, 299  
in tobacco smoking during hypoxia, 502  
in tricuspid atresia, 136  
T-P interval correlated with cardiac cycle, 298  
in Wolff-Parkinson-White syn-



- drome, procaine amide effects on, 145
- Electrocardiography**  
accuracy of criteria vs. 100 autopsies, in left ventricular hypertrophy, 89-96  
alterations in tricuspid insufficiency, 555  
cancellation preamplifier, 939  
cancellation studies, appendix; theoretic basis, coefficient of, preamplifier for, 946-951  
cancellation potentials, measurement and significance, 937-951  
cancellation system, geometric representation, 946  
change in coronary arteriosclerosis during estrogen therapy, 786  
change of pattern in infundibular resection in Fallot's tetralogy, 757, 758  
in chronic effusive pericarditis, 845  
criteria in left ventricular hypertrophy diagnosis, 90-94  
mitral stenosis, vs. bundle branch block and right ventricular hypertrophy patterns, 762  
pattern of right ventricular hypertrophy in mitral valve disease, 761-766  
patterns of patients with mitral valve disease compared with resting pulmonary artery pressures, 765  
in pericardial effusion and electrical alternans, 839-841  
right ventricular hypertrophy, correlation with anatomic findings, 223-227  
correlation with, at autopsy, 215-222  
in chronic cor pulmonale, in 28 patients, pattern of, 927-932  
Rule of Bigeminy, 422-439  
and sodium lactate effect, 686-695  
studies of changes in potassium removal in dogs, 46  
Valsalva responses by various cardiac patients, 890-895, 901
- Electrokymography**  
in alternans of heart, 975  
of auricular arrhythmia in total heart block, 298  
vs. kymography in myocardial infarction, 500
- Electrolyte metabolism**, in adrenalectomized - hypophysectomized dogs, 313
- Electrolyte studies**, in heart failure, 615-627
- Electroretinography**  
in arteriosclerosis, 301  
in hypertension, 301
- Emboli**  
by metallic mercury, 153  
in rheumatic heart disease, source of, 148
- Embolism**  
and Dicumarol, 309  
peripheral arterial, after myocardial infarction, 500  
pulmonary shock due to, nor-epinephrine for, 988  
sudden simultaneous arterial of all four limbs, 988  
venous air, body position in relation to, 662-663
- Encephalomalacia**, arteriosclerotic, 910
- Emphysema**  
mediastinal and myocardial infarction, 501  
pulmonary angiomatous type changes in, 652  
respiratory responses to CO<sub>2</sub> in, 979-980
- Endarterectomy**, for peripheral arteriosclerosis, 150
- Endocardial fibroelastosis**, 973-974  
or sclerosis, outstanding features, 291
- Endocarditis**  
bacterial  
human cases compared to experimental cases in dogs, 212  
method of inducing streptococcus mitis, experimental in dogs, 199,  
pathology of lesions in dogs, 206  
bacterial subacute  
in Marfan's syndrome, 333  
spleen rupture in, 156  
causing myocarditic lesions and cardiac failure in dogs, 209
- Endocrine effects**, on circulation, 138, 300-301, 504-505, 822-823, 976
- Enzyme activity**, serum glutamic oxalacetic transaminase levels following myocardial infarction, 874
- Epinephrine**  
activation of, selective, in cat adrenal, 656  
cardiovascular response to, 658  
in cardiac resuscitation in dogs, 33  
and circulation under stress, 301  
circulatory effects of, 822-823  
content of normal and diseased human hearts, 593-603  
-potentiating principle, 828  
sensitivity, after digitoxin and digoxin, 312
- Esophageal tracing**, in mitral valve disease, 148
- Esophagus**, compression caused by malformations, 124-134
- Estrogen Therapy**, 784  
toxic effects, 787
- Estrogenic hormone**, effect of on serum lipids in patients with coronary arteriosclerosis, 784-788
- Ethaverine**, in angina pectoris, 310
- Ethinyl estradiol**, use of, in coronary arteriosclerosis, 784
- Ethionine**, serum lipid and lipoprotein reduction with, 981
- Ethylenediaminetetraacetic acid**, metabolism of in man, 660
- European cardiology meetings**, 835
- Exercise**  
cerebral circulation and metabolism in vigorous, 304  
extrasystoles after, 135  
for massive venous occlusion, 154  
in measurement of reflex venomotor activity, 264  
RS-T segment after, 135
- Extrasystoles**  
see also Tachycardia  
after exercise, 135
- Fallot's tetralogy**,  
complication following infundibular resection, 754-760  
in diagnostic roentgenology, 478  
differentiation by auscultation from severe pulmonary stenosis with intact ventricular septum and reversed interatrial shunt, 714-732  
in evidence of right ventricular hypertrophy, 219  
and first heart sound, 727  
in Marfan's syndrome, 332  
and radiological diagnosis, 395  
surgery for, 987
- Fat**  
metabolism of human heart, 661  
and atherosclerosis, 976
- Fat tolerance**, in atherosclerosis, 500
- Fatty degeneration of myocardium**, coronary T waves in, 650
- Fever**, see Hemorrhagic fever, Rheumatic fever and Rheumatic heart disease
- Fibrillation**,  
atrial  
chronic, and operative risk, 663  
lone, 306  
quinidine for, 659-660  
ventricular  
electric shock for, 661  
Prostigmin effect on, in hypothermic dog, 311-312
- Fibroelastosis**, endocardial, 144
- Fistula**  
patent, in dogs with experimental bacterial endocarditis, 200  
stenotic, 200  
systemic arteriovenous, surgically created in experimental bacterial endocarditis in dogs, 206
- Flutter**, in blood flow through partially constricted collapsible tube, 285
- Flowmeter**, bristle, in study of venous return, 140
- Flutter**,  
atrial

**Flutter (Cont'd)**

- from crushing and electrical stimulation, 653
- differential diagnosis of, with procaine amide, 828

**Frequency**, in spectral phonocardiography, 851**Gallop**,

- atrial, and spectral phonocardiography, 859
- rhythm, protodiastolic and intravenous hexamethonium, 275

**Ganglion blocking agents**, in congestive heart failure, 659**Ganglion blocking drug**, (SU-3088) evaluation of, 733-741**Gastric emptying**, roentgenogram taken after ingestion of SU-3088, 738, 739**Gordon Research Conference on Blood**, 511**Grafts**

- aortic, homologous for aneurysms, 983, 989
- fate of, 804
- vascularization of, 665
- arterial, 985
- homo-, freeze dried, 155
- for superior vena caval occlusion, 985
- homologous, for aneurysm, 150
- Graphic interpretation**, of cardiac function, 609
- Graves' disease**, chromatographic prognosis, 668

**Hagen-Poiseville formulation**, 282**Heart** (*see also* Cardiac)

- activity
  - during cold pressor responses, 883
  - and "electrical remoteness" of electrodes on body surface, 937
  - "proximity" potentials and dipole behavior, 944
- auricular, ventricular pace-making
  - in dogs with acute complete heart block, 955
  - in dogs with cardiac arrest, experimental, 957
  - in intact dogs, 955
- block
  - atrial waves in, 668
  - atrial arrhythmia in, 298
  - caused in dogs injected with cocaine, formaldehyde or acetyl strophanthidin, 75-79
  - complete, antagonism to accelerated conduction, 82
  - partial and accelerated conduction, 83
  - serial ectopic ventricular beats and inhibition of spontaneous impulse initiation in dogs with idiopathic ventricular rhythm, 960
  - transient, complete atrioventricular, 649
  - cardiac arrest, experimental

- in dogs, by asphyxia, quinine or chloroform, 958
- in dogs after repetitive ventricular stimulation, 957
- cardiac intracavitary growths, myxoma, 965
- sarcoma, 966
- cardiac intracavitary tumors, 963
- angiocardiography, 963
- cardiac catheterization data, 963
- cardiac output
  - in A-V stimulation in intact dogs, 953
  - in dogs with acute complete heart block, 955
- cardiac stimulation, auricular and ventricular
  - in dogs with acute complete heart block, 955
  - in intact dogs, 953
- cardiac stimulation, repetitive, electric in dogs with normal hearts, complete heart block and experimental cardiac arrest, 952-962
- contraction and relaxation, in right ventricular predominance, 777
- disease
  - (angina pectoris, coronary insufficiency, heart failure) and transaminase levels, 875
  - clinical trial of corticotropin (ACTH), 702
  - diagnostic roentgenology in, 462-485
  - idiopathic with evidence of nutritional failure, 290
- extract, total, as treatment adjuvant, 656
- failure
  - See also* Congestive heart failure
  - and amyloidosis of liver, 974
  - in children with acute rheumatic carditis, 831
  - in chronic pulmonary disease, 498-499
  - congestive,
    - analysis of muscle, during and after, 616
    - in dogs with experimental bacterial endocarditis, 200
    - treatment with intravenous hexamethonium, 271
  - electrolyte studies, 615-627
  - mechanism of hemodynamic changes in, 498
  - neuro-humoral factors in genesis of renal hemodynamic changes in, 658
  - surgery for, 665
  - thiamine therapy in beriberi, 288
  - and thoracic deformities, 499
- hemangioendotheliosarcoma of, diagnosed by angiocardiography, 456-461
- hemorrhagic shock of, in intact dogs, 628
- human
  - diseased and normal, epi-

- nephrine and norepinephrine content, 593-603
- theory of electrical effects in the human heart by a fixed-location dipole, 942
- interatrial septal defect in Marfan's syndrome, 331
- movement
  - apex thrust, 780
  - apparent right ventricular ejection and inflow tract contraction, 780
  - decreased systolic retraction of the chest, 780
  - diastolic anterior movement of chest, 781
  - leftward and posterior swing of, 781
  - in mitral stenosis, exaggerated anterior swing of, 779
- muscle
  - biopsy, 620
  - destruction and transaminase level, 876
  - in diagnosis of right ventricular hypertrophy, 217, 221
  - injury and increase of transaminase level, 872
  - placenta as peripheral, 991
  - pseudomyxoma, operation of, 969
  - rate, in hypertensives after intravenous protoveratrine, 442
  - rotation, in relation to "IJ" amplitude, 770
  - shadow, inspiratory widening of, fluoroscopic sign of acute obstructive laryngotracheitis, 663
  - size, decrease, advantage of, 122
  - sound
    - atrial, in severe pulmonary stenosis, 726
    - first in Fallot's tetralogy, 727
    - in pericardial effusion, 840
    - "musical" in spectral phonocardiography, 869
  - murmurs in, study of in cases of pulmonary stenosis and Fallot's tetralogy, 722
  - second in Fallot's tetralogy and pulmonary stenosis, 717
  - second, in severe pulmonary stenosis with closed ventricular septum, 717
  - various in spectral phonocardiography, 852-868
- tumors, 965
- mural, 966
  - angioma, 966, 969
  - hamartoma, 966
  - nodular rhabdomyomas, 966
- primary, 963-970
- primary cardiac, diagnosis, 967
- treatment, 968
- removal, 968
- symptoms of patient, preoperative, 970
- valvular defect
  - tricuspid stenosis, 378
- vitamin deficiency and nutritive failure, 288-291

- volume, variations in normal children, 653
- weight, effect on accuracy of diagnosis in left ventricular hypertrophy, 94
- Hemangioendothelioma**, literature of diagnosis, 460-461
- Hemangioendotheliosarcoma**, of the heart, 456-461
- Hemochromatosis**, cardiac involvement in, 655
- Hemodynamics**  
changes induced by Dextran administration, 1  
in ductus arteriosus, patient without murmur, 404-410
- Hemorrhage**, massive gastrointestinal coagulation factors, 292
- Hemorrhagic fever**, ECG in, 136
- Hemorrhagic shock**  
*see* Shock, hemorrhagic  
effect on dog heart and circulation, 628-634  
in dogs,  
hemodynamic effect, 630  
metabolic effect, 629  
pathologic effect, 631
- Hemosiderosis**, pulmonary, linear x-ray shadows in acquired, 984
- Heparin**  
in alimentary hyperlipemia, 827  
in alimentary lipemia, 500  
intravenous, new method for, 493  
serum prothrombin time prolonged after, 819
- Hexamethonium**  
in arteriosclerosis obliterans, 604-608  
and cold pressor response, 883  
in congestive heart failure, 276, 659  
for hypertension with *Rauwolfia serpentina*, 823  
hypotensive reaction to, 301-302  
-induced hypotension, 139  
intravenous administration in dyspnea, basal rales, pulsus alternans and gallop rhythm, 275  
on peripheral blood vessels, 607  
surface temperature and peripheral blood flow, 777  
and vagal center excitability, 311  
venous pressure of normotensive and hypertensive patients, effect on, 271  
with and without congestive heart failure, 271
- Hexamethonium bromide**, effect in 13 patients with hypertensive retinopathy, 106-109
- Histamine**  
intra-arterial, for lower limb ischemia, 990  
and surface temperature and peripheral blood flow, 111
- Hormone**, estrogenic (ethinyl estradiol), effect of on serum lipids in patients with coronary arteriosclerosis, 784
- Hufnagel valve**, 572
- Hydargine**  
cardiovascular effects of, 311  
in renal disease, 309  
and surface temperature and peripheral blood flow, 111
- Hydralazine**  
*see* Apresoline  
collagen disease-like syndrome caused by, 148  
treatment of hypertensives in combination with *Rauwolfia*, 183
- Hydralazine hydrochloride**, and cold pressor response, 883
- Hyperlipemia**  
alimentary, heparin in, 827  
electrophoretic mobility of chylomicrons in, 667  
in nephrosis and diabetic nephropathy, 138
- Hyperparathyroidism**, hypopotassemia in, 138
- Hypertension**  
adrenal zona glomerulosa, and salt restriction, 976  
age and sex factors in, 138  
with albuminuria and polyuria, 140  
in anesthesia of paraplegics, 505  
CSF pressure and papilledema in malignant, 650  
cortisone effect on blood pressure in, 504  
crises during surgery, control of, 505  
electroretinography in, 301  
essential, arterial blood pressure response to cold, 881  
and ganglion blocking drug (SU-3088), 736  
and general population levels, 138-139  
hemodynamics of, 977  
hexamethonium for, 301-302  
hydralazine in, 505, 827  
alone vs. combination with Veriloid, 978  
fever during, 978  
and hypothalamic lesions in dog, 303  
inheritance in, 506  
malignant  
microscopic study of ultraviolet absorption of renal arterioles, 39  
following pre-eclampsia, 977  
and premalignant effect of hexamethonium on cerebral blood flow and metabolism, 106  
medical treatment of, 977  
and mitral stenosis, 497  
nephrectomy for, 302  
and nephrectomy in rabbit, 505-506  
post nephrectomy, 302  
norepinephrine excretion in urine in, 506  
obesity, d-amphetamine in, 145  
pentobarbital-reduced, in dogs, 140
- portal, hepatic vein pressure in, 155  
potassium depletion and alkalosis in, 506  
in pregnancy, Apresoline for, 978  
pulmonary  
in mitral stenosis, 315  
in patent ductus arteriosus relieved by surgery, 974  
regressing after patent ductus arteriosus closure, 506  
in rheumatic heart disease, 548  
pulse and respiration in patients receiving SU-3088, 737  
*Rauwolfia serpentina* for, 823, 826  
and regitin test, false positive, without pheochromocytoma, 138
- renal  
biopsy in, 301  
factors in, 302-303  
function, 139  
nephrectomy for, 651  
vasomotor nerve stimulation in, 977  
renoprival, 988  
Reserpine for, 139  
with reserpine alone, 171  
with reserpine and pentapyrrolidinium, 172-177  
with veratrum alkaloids, 178-9  
reticuloendothelial changes in malignant, 139  
and vitamin E, in rat, 630
- Hypertrophy**,  
left ventricular diagnosis, 89-96  
criteria of Goldberger, 91  
criteria of Goulder and Kissane, 92  
criteria of Gubner and Ungerleider, 90  
criteria of Katz, 90  
criteria of Noth, Myers and Klein, 92  
criteria of Schach, Rosenman and Katz, 91  
criteria of Sokolow and Lyon, 92  
criteria of Wilson and co-workers, 92  
criteria of Zeek, 94  
ECG criteria for diagnosis, 90  
effect of digitalis on accuracy of diagnosis, 93  
right ventricular  
analysis of electrocardiogram at autopsy, 218-219  
in chronic cor pulmonale, electrocardiographic pattern, 927  
correlation at autopsy with ECG findings, 215-222  
correlation of ECG with the anatomic findings, 223-227  
diagnosis  
criteria of Myers, Klein and Stofer for, 216, 223  
criteria of Sokolow and Lyon for, 215, 223  
criteria of Zeek, 225  
and function of mitral valve areas, 765  
and pulmonary resistance, 765

**Hypertrophy (Cont'd)**

- significance of electrocardiographic pattern, in patients with chronic cor pulmonale, 933
- with and without right bundle branch block, physiologic measurements in patients with chronic cor pulmonale, 930-931

**Hyperventilation**, in measurement of reflex venomotor activity, 264

**Hypochloremia**, confusion in diagnosis and treatment, 115-123

**Hypoglycemia**, insulin-induced splanchnicectomy effect on, 143

**Hypokalemia**, in dogs due to potassium removal, 51

**Hyponatremia**, confusion in diagnosis and treatment, 123

- following mitral valvulotomy, observations, 584-592
- sodium depletion on dilution, 115-123

**Hypophysectomy**, and antidiuretic hormone, 148

**Hypopotassemia**, *see* Potassium depletion

**Hypoproteinemia**, after draining of sump, 418

**Hypotension**  
*see also* Shock, hemorrhagic cerebral hemodynamics during, 982

- controlled
- Arfonad inducing, 144
- for surgical hemorrhage, 151
- heart response to pressor amines in hexamethonium-induced, 139-140

- hexamethonium and, 301-302
- in patients administered SU-3088, 740

- postural
- produced by dose of SU-3088, 738
- reflex venomotor activity measurements, 262
- reticulocytes in, 825

**Hypothalamus**, lesions of, and hypertension in dog, 303

**Hypothermia**, *see* Cold

**Hypoxia**

- acute, in sympathectomized and adrenalectomized dogs, 662
- in chronic cor pulmonale patients, 933
- and myocardial metabolism, 307

**Iliad**, effect on surface temperature and peripheral blood flow, 111

**Indiana University Heart Symposium**, 160

**Infants**, newborn cardiovascular physiology, 789

- problems of study, 789

**Infarction**

- anteroseptal and posterior in Wilson block, 56-63
- myocardial

- and activity resumed by survivors, 751

- circulatory consequences, 749-753

- and deeply inverted T waves, 526

- delay in resorption of necrotic muscle, 746

- in dogs, cortisone-treated, 744
- in dogs by ligating anterior descending coronary artery, 742

- in dogs, and serum transaminase levels, 712

- produced experimentally in dogs, in relation to age, 746

- with short P-R intervals and aberrant QRS complexes, 73-75

- and transaminase level, 871

- pulmonary, cause of death in dogs with experimental bacterial endocarditis, 200

**Infundibular resection**, in tetralogy of Fallot, 987

**Interlingua**, summaries in, 160

**Intermittent claudication**, 806

- "high" or proximal, 799

**International Council of Cardiology**, The Charles Laubry Lecture on leadership in cardiology, 677

**Intraventricular block**, QRS axis unchanged in, 135

**Intussusception**, periarteritis nodosa producing, 988

**Ischemia**

- cerebral reticulocyte reaction after, 825

- digital

- Dibenzyl for, 657
- varieties and management of, 666

- lower limb intra-arterial, histamine for, 990

- postural and blood pressure, 304

**Japan Medical Association**, 159

**Jones, T. Duckett**, obituary, vol. XI, No. 1

**Kempner rice diet**, determination of use, 123

**Ketone**, metabolism of human heart, 661

**Kidney**

- see also* Nephrosis
- biopsy in hypertension, 301

- disease, chronic, response to water and antidiuretic hormone in, 143-144

- diseases in man
- microscopic studies, 38

- in dogs with experimental bacterial endocarditis, 210

- hemorrhage, 210
- glomerular and tubular, 210

- nephritis, interstitial, 211

- factors in hypertension, 302-303
- failure, hyperpotassemia in, exchange transfusions for, 660

- function
- and hypertension, 139

- in pre-eclamptic toxemia, 978

- in heart failure, neuro-humoral factors in, 658

- hemodynamic function in adrenalectomized - hypophysectomized dogs, 313

- Hydrgine in disease of, 309

- hypertension, 140

- insufficiency
- management of acute, 829-830

- potassium depletion and alkalosis in, 506

- nephrectomy for hypertension, 302, 651

- reluctant, bypassing of, in edema relief by sump phenomenon, 411

- ultraviolet absorption in renal arteries and arterioles, 38-43

**Kinetocardiograms used with "pure" mitral stenosis**, 775

**Lanatoside C**

- electrocardiogram in, 143
- and potassium levels, 143

- in rheumatic heart disease, circulatory and ventilatory effects of, 149

**Laubry, Charles**, reminiscence of, 683-684

**Laubry lecture**, on leadership in cardiology, 677

**Left atrial enlargement**, demonstration of, by body section radiography, 400-403

**Leriche syndrome**, 151

**Lesions**, embolic, in experimental bacterial endocarditis in dogs, 210

**Lipemia**, clearing activity of plasma, measurement of heparin-induced, 292

**Lithium**, electrocardiographic effect of, related to potassium levels, 300

**Liver**

- see also* Cirrhosis
- damage and transaminase level, 874

- devascularization, function after partial, 979

- hepatic vein pressure in portal hypertension, 155

- perfusion and hemorrhagic shock, 142

**Lung disease**, chronic, and ECG pattern of right ventricular hypertrophy, 927

**Lupus erythematosus**

- ACTH and cortisone for, 300

- like syndrome, complicating L-phenylalanine therapy, 980-981

- pulmonary lesions of, 315

**Lutembacher syndrome**, ballistocardiogram in, 299

**Mackenzie, Sir James**, reminiscence of, 678-679

**Magnesium**, levels in nephrectomized dogs after cortisone, 300-301

**Malignant disease**, associated with vascular phenomena, 989

**Marfan's syndrome**

- cardiovascular aspects, 321-342



- classification of cases and pedigree of causes, 322  
coexistent cardiovascular lesions in, 336  
severely affected family, discussed, 337
- Mast cells**, in human atherosclerosis, 989-990
- Medical Research Council of Great Britain**, Rheumatic Fever Working Party, 343
- Mercury**, metallic, peripheral embolism by, 153
- Meralluride**, in congestive heart failure, 309
- Mercurial diuretics**  
see Diuretics  
thyroid uptake and renal clearance of radioiodine in, 828
- Mercurophylline**, tolerance and myocardial infarction, 974
- Metabolism**  
effects of hexamethonium in patients with premalignant and malignant hypertension, 106  
electrolyte and intractable edema, 411, 417, 419
- Methoxamine**, for paroxysmal supraventricular tachycardia, 660
- Metrazol**, in arteriosclerotic psychiatric patients, 983
- Microscopy**, ultraviolet, in renal vascular diseases, 38-43
- Mitral block**, in rheumatic heart disease, 532
- Mitral regurgitation**, roentgen kymographic study of, 831
- Mitral stenosis**, see also Stenosis  
apical systolic murmur in, 819  
breathing in, 141  
clinical features of, 494-495, 647-648  
in facsimile, 985  
fate of patients, 5 years post commissurotomy, 21-26  
and hypertension, 497  
lung biopsies in, 495  
phonocardiographic assessment of, 820  
pulmonary circulatory dynamics in, 315  
recurrence after commissurotomy, 14-27  
recurrence, review of literature, 16  
recurrent, after commissurotomy, 495  
with rheumatic heart disease, lanatoside C in, 149  
in rheumatic heart disease, 531-551  
with situs inversus, 295  
surgery for, 665-666  
surgery for pathoanatomic baseline for, 648  
technical considerations of commissurotomy, 14  
valvotomy for, 151, 664  
valvular findings in 31 autopsies post commissurotomy, 18
- Mitral Valve commissurotomy**, clinical analysis of incised valve, 18, 19
- Mitral valve disease**  
atrial pressure in, 140  
as shown by ECG pattern of right ventricular hypertrophy, 761  
esophageal tracing in, 148  
physiopathologic concepts of, 496  
problems of, 497  
and spectral phonocardiography, 853-858
- Mitral valvulotomy**, changes in serum electrolytes, 584-588
- Mumps**, and myocarditis, 820-821
- Murmur**  
diastolic  
faint or loud systolic, in spectral phonocardiography, 861-867  
in case of severe pulmonary stenosis with intact ventricular septum, 726  
systolic  
as studied by phonocardiography, 722  
and presystolic  
study of severe pulmonary stenosis cases with intact septum, 722  
study in cases of Fallot's tetralogy, 722  
in aortic regurgitation, 983  
and heart sounds, studied in pulmonary stenosis and Fallot's tetralogy, 722
- Muscular dystrophy**, cardiac involvement in progressive, 991
- Myocardial calcification**, massive dystrophic, 308
- Myocardial failure**, in hemorrhagic shock, 140
- Myocardial infarction**  
with aneurysm of interventricular septum, 820  
vs. aortic tortuosity, ballistocardiogram differentiating, 971  
atypical shoulder-hand syndrome after, 502  
chair rest treatment for, 499-500  
circulatory consequences of, 749-753  
C-reactive protein in, 500  
electrocardiogram in, 650  
electrocardiogram in serial pattern changes, 976  
electrokymogram vs. kymogram in, 500  
interventricular septum rupture due to, 649  
mediastinal emphysema complicating, 501  
peripheral arterial embolism after, 500  
selection of patients for anticoagulant therapy, 975  
surgery for experimental, 151  
and tolerance to Mercurophylline, 974  
vectorecardiogram in, 298-299  
with volvulus of gall bladder, 829
- Myocardial infarcts**, in dogs, cortisone treated, 744
- Myocardial insufficiency**, in rheumatic mitral stenosis, 533
- Myocardial metabolism**, and hypoxia, 307
- Myocarditis**  
and mumps, 820-821  
sudden death from, 821
- Myocardium**  
avitaminosis changes in, 819  
contractility in experimental cardiac arrest in dogs, 959  
fatty degeneration of coronary T waves from, 650
- Myxoma of heart**, 965
- Necropsy and ECG deformities**, 524
- Neohydrin**, in congestive heart failure, 309
- Neoplasm**, of heart, secondary, 144
- Neostigmine**  
deblocking effect and SU-3088, 735  
electrocardiogram in, 826
- Nephrectomy**  
and chronic hypertension in rabbit, 505-506  
for renal hypertension, 302, 651
- Nepresol**, circulatory-dynamic changes after, 309
- Nephrosclerosis**, malignant, microscopic study, 40
- Nephrosis**  
in children, potassium levels and, 307  
adrenal function and hyperlipemia in, 138
- Nervous system**  
parasympathetic blockade in reserpine and pentapyrrolidinium administration, 179  
sympathetic, hypotensive action of reserpine mediated by, 161
- Neurologic sequelae**, of cardiac arrest, 656
- Nicotinic acid**, effect on surface temperature and peripheral blood flow, 111
- Nitroglycerin**, effect on surface temperature and peripheral blood flow, 111
- Nitroprusside**. See Sodium nitroprusside
- Nomogram**, for simple calculation of cardiac output, 635
- Noradrenalin**, see Norepinephrine
- Norepinephrine**  
activation of, selective, in cat adrenal, 656  
in cardiac resuscitation in dogs, 33  
cardiovascular response to, 979  
and circulation under stress, 301  
content of normal and diseased human hearts, 593-603  
excretion in urine in hypertension, 506  
for shock from pulmonary embolism, 988
- Obesity**, hypertension, d-amphetamine in, 145

**Occlusion**

arteriosclerotic cerebral vascular mechanism of, in atherosclerosis, 911  
therapeutic considerations, 912  
coronary,  
  *see* Coronary occlusion  
and sequential changes in Wiggers' schema, 750  
fresh arterial and intermittent claudication, 812  
of superior vena cava  
  arterial graft for, 985  
  physiologic changes after, 665  
vascular effects on finger skin blood flow, 667  
venous massive, treated with exercise, 154

**Occlusive arterial disease**, *see* Arteriosclerosis obliterans; Peripheral vascular disease

**Occlusive vascular disease**

*see also* Coronary artery occlusion; Thrombosis; Emboli of terminal aorta, 316

**Oscillometry**, in intermittent claudication, 808

**Oxygen**

cerebral venous saturation, after hexamethonium, 106  
consumption  
  cerebral, after hexamethonium bromide, 106-108  
  in hypothermic dog, 825  
tension, cold effect on, 142

**Pacemaking current**, in cardiac stimulation study in dogs, 959, 961

**Papaverine**, effect on surface temperature and peripheral blood flow, 111

**Papilledema**, in malignant hypertension, 650

**Paracentesis**, abdominal, 419

**Paralysis**, periodic, electrocardiogram in, 136

**Parephryllin**, cerebral hemodynamic response to, 657

**Patent ductus arteriosus**, persistent, in diagnostic roentgenology, 473

  division of, 407

  in infancy, 648, 649

  without murmur, 408

  pulmonary hypertension, regressing after closure, 506, 974

  with reversed flow, 973

**Patent foramen ovale**

and congestive heart failure, 499  
and Ebstein's anomaly, 496

**Pectum excavatum**, severe, in Marfan's syndrome, 335

**Penicillin**, oral, in streptococcal disease, 827

**Pentapyrrolidinium**, and cold pressor response, 883

**Pentobarbital**, hypertension reduced by, in dogs, 140

**Periarteritis nodosa**

  intussusception in, 988

  renal

    microscopic study, 40

**Pericardial cyst**, 968

**Pericarditis**

  acute nonspecific, 500-501

  chronic effusive

    in an asymptomatic child, 844-848

    congenital lesion in, 848

**Pericardium**, effusion and electrical alternans, 837-843

**Peripheral vascular disease**

  skin temperature in, 152

  walking venous pressure test in, 989

**Phenylbutazone**

  antirheumatic and physiologic effects of, 145-146  
  for superficial thrombophlebitis, 657

**Phenylephrine**, in cardiac resuscitation in dogs, 33

**Pheochromocytoma**, regitin test, false positive in, 138

**Phlegmasia caerulea dolens**, 153

**Phonocardiogram**, in commissurotomy, 141-142

**Phonocardiography**, 822

  Bell sound spectrograph in, 312

  and congenital heart disease in children, 313

  of fetal heart, 502

  in mitral stenosis, 820

  and second heart sound

    in Fallot's tetralogy, 717

    in pulmonary stenosis, 717

  spectral

    advantages of and reasons, illustrated, 849-868

    cardiovascular sound, 849-870

    heart sounds, (systolic clicks, mitral snaps, fetal heart sound, tachycardia), 852-868

    studies of pulmonary stenosis and Fallot's tetralogy, 720-729

    taken at site of maximal murmur intensity, 721

**Phosphate**, levels in nephrectomized dogs after cortisone, 300-301

**Phosphorus**

  digitoxin in metabolism of, 656

  serum levels after intravenous glucose, 661

**Physiologic measurement**, in patients with chronic cor pulmonale, 928-931

**Pitressin**, diuretic effect of daily injection, 122

**Placebo**, in testing reserpine effect, 161

**Placenta**, as example of peripheral heart, 991

**Plasma**

  electrolyte changes

    (diurnal) in decompensated cardiac patients, 624

    past acute physical stress, 622-623

**Polaroid microscope**, color-translating ultraviolet (color illustration), 40

**Polyuria**, and hypertension, renal, 140

**Postganglionic cholinergic im-**

**pulses**, transmission, interference by Banthine, 111

**Potassium**

  administration in sodium chloride therapy, 117

  and alkalosis prophylaxis, 982

  depletion

    and brain tumor, 667

    from cation exchange resin, 147

  electrocardiogram in, 135-136

  electrolyte excretion in, 667

  in hyperparathyroidism, 138

  with hypertension and renal insufficiency, 506

  paroxysmal essential, *see* Paralysis, periodic

  digitoxin and digoxin affecting plasma, 312

  effects of acute removal from dogs, 44-52

  excess in renal failure, exchange transfusions for, 660

  lanatide C affecting levels of, 143

  levels related to lithium effect on electrocardiogram, 300

  in nephrotic children, 307

  nocturnal electrolyte excretion after oral, 661

  serum levels after intravenous glucose, 661

**Potentiometer**, use in cancellation potentials, 940

**Pregnancy**

  complicated aortic disease in, 293

  heart disease and, 668

  hypertension in, Apresoline for, 978

  hypertension in, malignant, following pre-eclampsia, 977

  pre-eclamptic toxemia of, cation exchange resins in, 147

  toxemia of

    hypotensive drugs for, 982-983

    renal function and chloride metabolism in, 978

    vascular damage after, 303-304

    valvulotomy in, 987

    varicosis of, dangers of neglecting, 153

**Premarin**, in coronary arteriosclerosis, 784

**Pressor response**, neurohumoral transmission of, 143

**Pressure**, of blood. *See* Blood pressure

**Pressure measurement**, direct, in cardiac surgery, 316

**Priscoline**, effect on surface temperature and peripheral blood flow, 111

**Procaine amide**

  for cardiac arrhythmias, 828

  in diagnosis of atrial flutter, 828

  in Wolff-Parkinson-White syndrome, 145

**Pronestyl**, cardiac arrest after intravenous, 311

**Prostigmin**, and ventricular fibrillation in hypothermic dog, 311-312

**Protoveratrine**

  and cold pressor response, 883



- effect on digital pulse volume and skin temperature in hypertensives, 440-446
- Pulmonary arteriolar resistance**, 761
- Pulmonary blood volume**, calculated, 448, 452
- Pulmonary circulation**  
collateral, 655  
mutual dependence with peripheral circulation, 654  
time, densometric study of, 305
- Pulmonary congestion**, and edema, and massive intravenous infusions, 304
- Pulmonary disease**, heart failure in chronic, 498-499
- Pulmonary emphysema**, *see* Emphysema
- Pulmonary exchange of water**, transepillary, in dog, 978
- Pulmonary hypertension**, and patent ductus arteriosus, 408
- Pulmonary operations**, *see* Surgery, pulmonary
- Pulmonary resistance**, in ECG pattern of right ventricular hypertrophy or right bundle branch block, 929
- Pulmonary vascular pressures**, variations in, 306
- Pulmonary venous drainage**, total, 497-498
- Pulmonic stenosis**, *see also* Stenosis  
angiocardiography of, 315  
blood pressure in, 651  
clinical diagnosis of, 648-649  
with closed ventricular septum, 819-820  
congenital, and radiological diagnosis, 395  
intracardiac shunts in, 294  
with left to right shunt, 972-973  
progressive, experimental, 293
- Pulse pressure**  
diastolic and systolic, during the straining period of patients in congestive failure, ("failure response"), 900  
in normal and compensated cardiac patients during Valsalva maneuver, 889-896, 902-903  
and stroke volume 305, 313
- Pulse rate**, normo- and hypotensives during cold pressor test, 883
- Pulse wave velocity**, methods for determining, 654
- Pulsation**, peripheral, impairment in intermittent claudication, 811
- Pulsus alternans**  
disappearance due to intravenous hexamethonium, 276  
electrokymography of, 975
- QRS complex**—*see* Electrocardiogram; Electrocardiography
- Quinidine**  
for atrial fibrillation, 659-660  
and papillary muscle, 826
- Radiocardiography**, in congenital heart disease, 295
- Radiography**  
body section  
use in demonstration of intracardiac calcification, 403  
use in ill defined cardiac and vascular contour, 403
- Radioisotopes**, circulatory studies with, 307-308
- Raudixin**, in hypertension, 826
- Rauwiloid**, cardiovascular responses of dog after, 309-310
- Rauwolfia serpentina**  
*see also* Raudixin, Rauwiloid; Reserpine; Serpasil  
alkaloid, in combination with other hypotensive agents, pentapyrrolidinium, 172-7  
veratrum alkaloids, 178-9  
derivative, Reserpine, 161-169  
hydralazine therapy, combined in treatment of hypertensives, 182-187  
for hypertension, 823
- Recosen**, 656
- Reflex venomotor activity**, impaired, in patients with postural hypotension, 263-268  
in normal subjects, pressure response of superficial vein segment to Valsalva maneuver, foot-down tilting, exercise, cold and hyperventilation, 263
- Regitine**  
carotid sinus walls affected by, 310  
test, false positive in hypertension without pheochromocytoma, 138
- Renal**, *see* Kidney
- Renoprival cardiovascular disease**, in dogs, 988
- Resection**, of infundibular stenosis, postoperative cardiovascular response, 758
- Reserpine**  
cardiovascular and renal response to, 656-657  
and cold pressor response, 883  
in hypertension, 139  
hypotensive action of, 161-169  
hypotensive action mediated through the sympathetic nervous system, 167  
in normotensive subjects and animals, 162-164  
treatment in hypertension, 171-181  
with pentapyrrolidinium, 172-177  
with veratrum alkaloids, 178-9  
side effects, 172-178
- Respiratory infection**, cardiovascular studies during, 980
- Reticuloendothelial system**, changes in malignant hypertension, 139
- Rheumatic fever**  
*see also* Rheumatic heart disease  
in children  
criterion for  
carditis, 345  
fever, 345  
chorea, 345  
polyarthritis, 345  
subacute nodules, 345  
elevated sedimentation rate, 345  
P-R interval, increased, 345  
pre-existing rheumatic heart disease, 345  
previous streptococcal infection, 345  
results  
atrioventricular conduction time, 359  
chorea, 356  
erythema marginatum, 357  
heart size, 358  
murmurs, 361  
pulse rate during sleep, 353  
retreatments and side effects of treatment, 367  
seriously ill cases, 364  
subcutaneous nodules, 356  
temperature, 352  
results of cooperative study, discussion and conclusion, 368  
study forms in appendix, 372-377  
study results, 352-368  
study sample, 348  
treatment, 343-377  
treatment groups compared at start of therapy, 349  
treatment plan, 346
- Rheumatic Fever Working Party of the Medical Research Council of Great Britain**, members, participating centers, 343
- Rheumatic heart disease**  
abdominal pain in, 830  
aspirin, ACTH and cortisone in, 985  
aspirin vs. ACTH vs. cortisone in, 148-149  
Bicillin in, 984  
confusion of other conditions with, 314  
cortisone in, 830  
diphtheria antitoxin in, 662  
educational materials on, 317-319, 509-510  
emboli in, source of, 148  
epidemiology of, in Italian population, 315  
follow-up of suspected, 314  
and heart failure in children, 831  
lanatoside C effects on circulation and pulmonary function, 149  
mechanical and myocardial factors with mitral stenosis, 531-551  
and mitral block, 536  
mural thrombi formation in, 314-315  
and myocardial insufficiency, 542  
prevention through control of streptococcal infections, 317-319  
sequelae in adults, 831

- Rheumatic heart disease** (*Cont'd*)  
and tricuspid valve disease, 387  
visceral lesions in, 149  
x-ray and surgical findings in, 514
- Rheumatic mitral stenosis**, 532
- Rheumatoid arthritis**, and low diastolic pressure, 508
- Right ventricular hypertrophy**, correlation of ECG pattern with mitral valve disease, 761
- Riley bubble method**, modifications of, 307
- Roentgen criteria**, of right ventricular enlargement vs. critical evaluation of, 391-399
- Roentgenology**,  
cardiac size and mensuration, 463  
cardiac beat, 466  
cardiac configuration, 463  
classification of congenital heart anomalies, 469  
cyanotic group, 470-478  
cyanotic group, 478-481  
pulmonary vasculature, 467  
active and passive vascular engorgement, 467  
correlation with other data in heart disease, 462-485  
diagnostic in congenital heart disease, 462-485  
and enlarged left atrium, 400  
in infundibular resection in Fallot's tetralogy, 755, 756  
in mitral stenosis, 23  
in pericarditis, chronic effusive of an asymptomatic child, 845-847  
in tricuspid insufficiency, 555  
used in determination of compression of trachea and esophagus, 126, 130, 131, 133  
and Valsalva maneuver in circulation time study, 904-906
- Roniacol**, effect on surface temperature and peripheral blood flow, 111
- Salicylate intoxication**, acid base disturbance in, 146
- Saline**, hypertonic, effect on surface temperature and peripheral blood flow, 111
- Salt**, after mitral valvotomy, 147
- Salt depletion**, undetected, 121
- Salt restriction**, dietary and adrenal zona glomerulosa of hypertensives, 976
- Sarcoma**, of heart, 965, 980
- Sclerosis**, pulmonary, 144
- Scorbutic heart disease**, 290
- Scurvy**, and heart disease, 289
- Sepsis lenta**, in congenital malformation of heart, 820
- Septal defect**  
aortic-pulmonary, 496-497  
atrial, closure of, 973, 986  
cardiac, closure of, 974  
and diagnostic roentgenology, 472
- interatrial, occlusion of, temporary, 496-496
- interventricular  
with pulmonary hypertension (Eisenmenger's complex), 476  
surgical repair of, 664
- Serpasil**, central effects of, 310
- Serum cholesterol level**, in coronary arteriosclerosis, 786
- Serum electrolyte changes**, in mitral valvulotomy, 584-588
- Serum glutamic oxalacetic transaminase**, activity following myocardial infarction, 871-877
- Serum lipids**, pattern affected by estrogenic hormone in coronary arteriosclerosis, 786
- Serum neutral fat levels**, in coronary arteriosclerosis, 786
- Serum sodium level**, in unrecognized hyponatremia and hyponatremia, 115-123
- Serum viscosity**, and albumin-globulin ratio, 143
- Shoulder-hand syndrome**, atypical, after myocardial infarction, 502
- Smoking**, see Tobacco smoking
- Shunt**, arteriovenous, aortico-inferior vena caval and bilateral iliofemoral in dogs with experimental bacterial endocarditis, 201
- Shock**  
anaphylactoid, lipemia clearing factor in, 156  
hemorrhagic  
coronary flow and myocardial failure in, 140  
interrelated factors in, 142
- Sinus node**, and ventricular systole in A-V block, 252-257
- Sodium**  
depletion and brain tumor, 667  
loss and depletion, 115  
nocturnal electrolyte excretion after oral, 661  
prolonged large dosage, effects of, 982  
radio-, clearance from skin, 979  
and water removal, by a sump phenomenon, 411
- Sodium chloride**  
in dietary restriction, 120-123  
formula for amount needed, 121
- Sodium diuresis**, with corticotropin (ACTH), 703
- Sodium lactate**  
effect on arrhythmias and other conduction disturbances, 695  
effect on auricular and ventricular rates in asymptomatic complete A-V heart block, 694  
effect in complete A-V heart block, with occasional cycles of normal A-V conduction, 695  
molar and half molar
- administration of dosage and method of, 696  
in increasing idioventricular rate with complete A-V heart block, 690-694  
mechanism and effects of, 696-699  
in restoring the heart beat following cardiac arrest, 688-690  
in ventricular standstill occurring during repeated Stokes-Adams seizures, 685-689  
sympathomimetic effects of, 698  
vagolytic effect, 698
- Sodium nitroprusside**  
hypotensive action  
in animals and hypertensives, 188-198  
neurogenic and renal hypertension in dogs, 190  
oral administration, 192  
in treatment of hypertensive encephalopathy, 195
- Solidography**, of heart, 663
- Sounds**  
extracardiac in spectral phonocardiography, 867  
near xiphisternum in tricuspid stenosis, 379, 387
- Soybean sterols**, and cholesterol absorption, 312, 828
- Spectrograph**  
see also spectral phonocardiography, 850  
Bell sound, in phonocardiography, 312
- Splanchicectomy**, hypoglycemia, insulin-induced, affected by, 143
- Splanchnic nerve stimulation**, and epinephrine potentiating principle, 828
- Spleen**, rupture in subacute bacterial endocarditis, 156
- Starr**, high-frequency ballistocardiograph, 229
- Stenosis**  
see also Aortic; Mitral; Pulmonic; Subaortic (stenosis)  
aortic,  
relief of by anastomosis, 564-575  
relief of in man, 571  
infundibular, 754  
and valvular stenosis, 759  
mitral,  
block in rheumatic heart disease, 532  
follow-up results, 639  
operative and postoperative embolization, 640  
postoperative syndrome, 642  
and pulmonary resistance (in dynes), 762  
recurrence, 641  
recurrence after commissurotomy, 14  
result of surgery, 637  
pulmonic  
with atrial septal defect or foramen ovale, 479

- with intact ventricular septum, studied by auscultation, 716
- in roentgenology, 471
- tricuspid, opening snap of tricuspid valve, 378-390
- Stokes-Adams attacks**, 685
- and Cushing's syndrome, 824
- Streptococcal infections**
- diagnosis and treatment of, 317-318
- mass oral penicillin in, 827
- prevention of,
  - in rheumatic individuals, 318-319
  - in hospital wards, 319
- Streptococcus mitis**, producing bacterial endocarditis, 199-205, 207-214
- method of induction, 199
- pathology of valvular and secondary lesions, 206
- Stress**
- circulatory, epinephrine and norepinephrine effect on, 301
- emotional, before stroke, 155
- Stroke**, *see* Cerebral vascular disease
- Stroke volume**
- measurement of from central pressure pulse, 313
- pulse pressure relation with, 305
- SU-3088**
- advantage of dosage, 740
- ganglion blocking drug, oral administration of, 733
- gastric emptying, 738
- in potentiation of epinephrine, 733
- side actions of doses, 738
- stimulation of vagus in dogs, 734
- tests in man, 735-741
- trial in dogs, 733-735
- Subaortic stenosis**, blood pressure and flow in, 494
- Subendocardial infarction**, electrocardiogram in, 298
- Superior vena cava syndrome**, surgical reversal of, 986
- Sump**
- seepage in reverse direction, 419
- phenomenon, use of in relief of resistant edema, 411-421
- Suppuration**, pulmonary and pericardial, bronchial circulation in, 156
- Surgery**
- of aorta, abdominal, 800
- considerations of, 803
- cardiovascular, 316, 663-666, 831-832, 985-988
- see also* Commissurotomy; Sympathectomy; Valvotomy; Valvulotomy
- for aortic and mitral stenosis, 665-666
- conditions for, 664
- for dissecting aortic aneurysms, 987
- early respiratory acidosis during, 665
- for Ebstein's anomaly, 496
- emergency treatment by, 663-664
- for heart failure, 665
- in infants and children, 986
- for interventricular septal defects, 664
- management of patients in, 831-832
- mechanical principles, in aortic and mitral incompetence, 986
- risk and chronic atrial fibrillation, 663
- risk in coronary artery disease, 987
- torsion ballistocardiography in, 300
- of heart and circulation, 150-151
- International Symposium on, 159
- pulmonary
- blood coagulation defective after pulmonary operation, 493
- physiopathology of circulation in, 651
- relief of infundibular stenosis and subsequent complications, 754
- relief from tumors of the heart, 968
- problems of, 968
- therapy in constriction of esophagus or trachea, 130, 132, 133, 134
- Survival rate**, of patients following myocardial infarction, 752
- Sympathectomy**
- for atherosclerosis, 665
- and arterial circulation, 803, 804
- for arteriosclerosis obliterans, 316
- for chronic occlusion of terminal aorta, 316
- Systoles**
- benign ventricular premature, electrocardiogram in, 503
- ventricular premature and temporary bigeminal rhythm, 422
- Systolic murmur** (*See* Murmur)
- Systolic sounds**, in spectral phonocardiography, 861
- T-1824**, after Dextran, 142
- Tachycardia**
- alternating with bradycardia, syndrome of, 654
- Methoxamine chloride for paroxysmal supraventricular, 660
- paroxysmal,
  - auricular with 2:1 A-V block, 248
  - ballistocardiogram in, 822
  - electrocardiogram in, 135
  - in newborn, onset in utero, 494
  - treatment of, 137
- Takayasu's disease**, 488
- Temperature**
- see also* Cold
- circulatory changes after exposure to heat, 824
- and electrical activity of Purkinje fibers, 308
- responses caused by 15 vasodilators, in glomus and blush areas, 110-114
- skin
- and blood flow, 508, 667
- with ganglion blocking drug in man, (Su-3088), 737
- in peripheral vascular disease, 152
- Tetraethylammonium chloride**, effect on surface temperature and peripheral blood flow, 111
- Tetralogy of Fallot**
- See* Fallot's tetralogy
- Tenotomy**, of Achilles tendon, 811
- Thimerin**, as diuretic, 827
- Third heart sound**, physiologic, and jugular-venous pulse, 829
- Thrombophlebitis**
- phenylbutazone for superficial, 657
- trypsin in, 666
- Thrombosis**
- of abdominal aorta and iliac arteries, 151
- aortic, resection of occluded distal portion of abdominal aorta and iliac arteries, 803
- coronary, *see* Coronary thrombosis
- of internal carotid artery, 990
- mural, anticoagulant effect after myocardial infarction, 292
- venous
- of deep leg veins due to prolonged sitting, 152
- of lower limbs, as complication of internal disease, 151-152
- precipitating factors, 152
- Tromexan in experimental, 658
- Thrombotic thrombocytopenic purpura**, 988
- Thrombus**, left auricular mural, in rheumatic heart disease, 314-315
- Thumping on chest**, and cardiac contraction, 687
- Thyroxin**, and arterial sensitivity, 311
- Tissue pathology**, studies with Polaroid color-translating ultraviolet microscope, 38-43
- Tobacco sensitivity**, and skin temperature, 152
- Tobacco smoking**
- and angina pectoris, 649
- circulatory effects of, 971
- and death rates, 991-992
- electrocardiogram in, during hypoxia, 502
- and ventilatory function in bronchial asthma and pulmonary emphysema, 312

- Tonsillitis**, and fatal myocarditis, 821
- Tourniquet shock**, in rats, 991
- Toxemia of pregnancy**, pre-eclamptic, cation exchange resins in, 147
- Trachea**, compression caused by malformations, 124-134
- Transaminase activity**, following myocardial infection, 871-877
- Transaminase levels**  
in dogs in experimental myocardial infarction, 711-713  
as supplement to electrocardiogram in myocardial infarction diagnosis, 712  
and various diseases, 876
- Transbronchial access**, atrial pressure determined by, 140
- Transfusion**  
exchange  
for hyperpotassemia of renal failure, 600  
serum electrolyte changes during, 668
- Transposition**, of great vessels, 647
- Trichinosis**, cardiocirculatory findings in, 504-505
- Tricuspid incompetence**, 663
- Tricuspid insufficiency**  
angiocardiograms and roentgenograms, 555  
chronic auricular fibrillation, 553  
diagnosis in 60 cases, 552-563  
and ECG alterations, 554  
and enlargement of liver, 553  
hemodynamic data, 555  
murmur of, 554
- Tricuspid stenosis**, *see* Stenosis
- Tromexan**, in experimental venous thrombosis, 658
- Trypsin**, in thromboembolic conditions, 666
- Tumor of the heart**  
benign, 965  
mural, 966  
pericardial, 967
- Ultraviolet microscopy**, in renal vascular diseases, 38-43
- Umbilical vein**, injection of T-1824 dye in determining dye dilution curves in newborn infants, 789
- United Kingdom and United States joint report on rheumatic fever**, 343-377
- Vagus nerve**  
electrical stimulation of, 313  
hexamethonium and excitability of, 311
- Valsalva maneuver**  
and Buerger theory, 906  
blood pressure responses by cardiacs with or without congestive failure, 890-896, 900-904  
normal subjects, 889  
and circulation time, 900  
in reflex venomotor activity, 263
- Valsalva responses**, *see* Valsalva maneuver and blood pressure
- Valve**  
stenotic, sound on opening, 387  
tricuspid, opening snap of, 378
- Valvotomy**  
for mitral stenosis, 151, 664  
salt administration after, 147  
pulmonary, in tetralogy of Fallot, 987
- Valvuloplasty**, mitral,  
result of operation on first 500 patients, 637-646
- Valvulotomy**  
mitral, and postoperative hyponatremia, 589  
in pregnancy, 987
- Varicose veins**  
neglect after pregnancy, dangers of, 153  
treatment of, 152
- Vascular anomalies**, in constriction of trachea or esophagus, 124-134
- Vascular disease**,  
hypertension, malignant or premalignant, hexamethonium effect, 108  
renal, ultraviolet microscopic studies, 38-43
- Vascular lesions**, in human arteriosclerosis in cerebral arteries, 909-910
- Vascular pressure**, in repetitive electrical cardiac stimulation in intact dogs, 953
- Vasodilatation**  
of hand and feet of hypertensives, after intravenous proteratriner, 444  
renal, caused by sodium nitroprusside, 190
- Vasodilator**  
effect on peripheral blood flow and surface temperature, 111  
intra-arterial in management of intermittent claudication, 811  
Reserpine effect on blood pressure in hypertensives and normotensives, 161  
sodium nitroprusside, 188
- Vasomotor reactivity**, in normotensives and hypertensives, during cold pressor tests, 881
- Vector**, cardiac, heart position and rotation effect on, 137
- Vectorcardiogram**, spatial, in analysis of human atria, 97-101
- Vectorcardiography**  
differential, 650  
Einthoven's triangle in "truncus model," 503  
in myocardial infarction, 298-299  
potential distribution on body surface, 975  
zero potential of electrical field produced by heart beat, 299-300
- Vein**  
antecubital (from arm), in Valsalva maneuver, and circulation time, 901-903  
energy and hydraulic gradients along, 979  
femoral (from leg), in Valsalva maneuver and circulation time, 901-903  
pressure, *see* Blood pressure, varicose, *see* Varicose veins
- Vena cava**, inferior, in Valsalva maneuver in circulation time studies, 900-903
- Venoconstriction**, with central shifting of blood, 263
- Venography**  
functional, of lower limbs, 152  
portal, 991
- Venous return**, bristle flowmeter for study of, 140
- Venous tone**, affected by intravenous hexamethonium, 277
- Ventricles**, pericardial effusion with simultaneous electrical alternans of, 837
- Ventricular contraction**, and relaxation, in patients with mitral stenosis, dynamics of, 781
- Ventricular cycle**, rule of bigeminy, 422-439
- Ventricular defect**, in patients with Fallot's tetralogy, post-surgical relief of infundibular stenosis, 758
- Ventricular hypertrophy**  
*see also* Hypertrophy  
right  
correlation of ECG with anatomic findings, 223  
criteria of Myers, Klein and Stofer, 216, 223  
criteria of Sokolow and Lyon, 215, 223  
criteria of Zeek, 225  
radiological diagnosis, 395
- Ventricular rate**, increase in complete A-V heart block, 685
- Ventricular systole**  
action on pacemaker of the sinus node, 253  
and auricular rhythm in auriculoventricular (A-V) block, 240-261
- Bainbridge reflex inhibited by a decrease of atrial pressure, 252
- chronotropic effect, positive and negative, in A-V block, 249-257
- Veratrone**, in toxemia of pregnancy, 982-983
- Verteral**, in toxemia of pregnancy, 983
- Vitamin deficiency**, beriberi, 288
- Vitamin E**  
and cardiovascular necrosis and hypertension in rat, 660  
tocopherols, and myocardial disease, 289
- Voltage**, fluctuations of in pericardial effusion, 839
- Volvulus of gallbladder**, with myocardial infarction, 829

- Walking venous pressure test**, in peripheral vascular disease, 989
- Water balance**, in adrenalectomized - hypophysectomized dogs, 313
- Water**, renal response to in diabetes and chronic renal disease, 143-144
- Wave lengths**, in ultraviolet microscopy of renal vascular disease, 39
- Weight reduction**, blood lipid levels influenced by, 979
- Wiggers' schema**, of functional circulatory consequences of myocardial infarction, 749
- Wilson block**, sign of organic heart disease, 65
- Wilson central terminal**, 937, 939
- Wolff-Parkinson-White syndrome** disappearance after production of complete heart block, 82
- due to A-V node abnormalities, 69
- procaine amide effects on, 145
- Work**, cardiac, and chair treatment of acute coronary thrombosis, 297
- X-ray films**, *see* Roentgenology, Radiography
- Zenker fixation**, in color microscopy, 39

Sturdily constructed and attractive binders stamped with the Journal's name and volume number are available for Volumes IX and X. Each holds the respective volume's issues in convenient form. Volume XI and XII binders (for 1955) are also available for subscribers who wish to file their new issues in this way, as they receive them.

Order *Circulation* binders from Grune & Stratton, Inc., Subscription Department, 381 Fourth Avenue, New York City 16. Enclose \$1.50 for each binder desired, and specify volumes.



